

# Module: north-american-diet

## Module Contents

### north-american-diet

- 1.[CENTER\\_NO](#)
- 2.[PERSON\\_ID \(\\*PK\)](#)
- 3.[CREAM\\_SOUP\\_FQ](#)
- 4.[DBEAN\\_SOUP\\_FQ](#)
- 5.[TOM\\_SOUP\\_FQ](#)
- 6.[MISO\\_SOUP\\_FQ](#)
- 7.[BROTH\\_SOUP\\_FQ](#)
- 8.[MEXICAN\\_SOUP\\_FQ](#)
- 9.[ORIENT\\_SOUP\\_FQ](#)
- 10.[JOOK\\_FQ](#)
- 11.[CREAM\\_SOUP\\_SIZE](#)
- 12.[DBEAN\\_SOUP\\_SIZE](#)
- 13.[TOM\\_SOUP\\_SIZE](#)
- 14.[MISO\\_SOUP\\_SIZE](#)
- 15.[BROTH\\_SOUP\\_SIZE](#)
- 16.[MEXICAN\\_SOUP\\_SIZE](#)
- 17.[ORIENT\\_SOUP\\_SIZE](#)
- 18.[JOOK\\_SIZE](#)
- 19.[CHOW\\_MEIN\\_FQ](#)
- 20.[SPAG\\_FQ](#)
- 21.[MAC\\_CHEESE\\_FQ](#)
- 22.[POTATO\\_SALAD\\_FQ](#)
- 23.[PASTA\\_SALAD\\_FQ](#)
- 24.[NOODLE\\_CASS\\_FQ](#)
- 25.[PASTA\\_CREAM\\_FQ](#)
- 26.[ARROZ\\_POLLO\\_FQ](#)
- 27.[BEEF\\_STEW\\_FQ](#)
- 28.[CHICK\\_STEW\\_FQ](#)
- 29.[SF\\_MEAT\\_FQ](#)
- 30.[SF\\_CHICK\\_FQ](#)
- 31.[SF\\_SHRIMP\\_FQ](#)
- 32.[SF\\_VEGE\\_FQ](#)
- 33.[PORK\\_GREEN\\_FQ](#)
- 34.[CHILI\\_FQ](#)
- 35.[HAMB\\_FQ](#)
- 36.[CHEE\\_HAMB\\_FQ](#)
- 37.[MEAT\\_LOAF\\_FQ](#)
- 38.[PIZZA\\_FQ](#)
- 39.[CHOW\\_MEIN\\_SIZE](#)
- 40.[SPAG\\_SIZE](#)
- 41.[MAC\\_CHEESE\\_SIZE](#)
- 42.[POTATO\\_SALAD\\_SIZE](#)
- 43.[PASTA\\_SALAD\\_SIZE](#)
- 44.[NOODLE\\_CASS\\_SIZE](#)
- 45.[PASTA\\_CREAM\\_SIZE](#)
- 46.[ARROZ\\_POLLO\\_SIZE](#)
- 47.[BEEF\\_STEW\\_SIZE](#)
- 48.[CHICK\\_STEW\\_SIZE](#)
- 49.[SF\\_MEAT\\_SIZE](#)
- 50.[SF\\_CHICK\\_SIZE](#)

- 51.[SF SHRIMP SIZE](#)
- 52.[SF VEGE SIZE](#)
- 53.[PORK GREEN SIZE](#)
- 54.[CHILI SIZE](#)
- 55.[HAMB SIZE](#)
- 56.[CHEE HAMB SIZE](#)
- 57.[MEAT LOAF SIZE](#)
- 58.[PIZZA SIZE](#)
- 59.[BEEF STEAK FQ](#)
- 60.[SHORTTRIB FQ](#)
- 61.[CBEEF FQ](#)
- 62.[CB\\_HASH FQ](#)
- 63.[PCHOP FQ](#)
- 64.[HAM FQ](#)
- 65.[PIG FEET FQ](#)
- 66.[SPARERIB FQ](#)
- 67.[LIVER FQ](#)
- 68.[CHICK WING FQ](#)
- 69.[F CHICK FQ](#)
- 70.[ROAST CHICK FQ](#)
- 71.[TURKEY FQ](#)
- 72.[F SHRIMP FQ](#)
- 73.[SHELLFISH FQ](#)
- 74.[F FISH FQ](#)
- 75.[B FISH FQ](#)
- 76.[CAN TUNA FQ](#)
- 77.[CAN FISH FQ](#)
- 78.[SALT FISH FQ](#)
- 79.[BEEF STEAK SIZE](#)
- 80.[SHORTTRIB SIZE](#)
- 81.[CBEEF SIZE](#)
- 82.[CB\\_HASH SIZE](#)
- 83.[PCHOP SIZE](#)
- 84.[HAM SIZE](#)
- 85.[PIG FEET SIZE](#)
- 86.[SPARERIB SIZE](#)
- 87.[LIVER SIZE](#)
- 88.[CHICK WING SIZE](#)
- 89.[F CHICK SIZE](#)
- 90.[ROAST CHICK SIZE](#)
- 91.[TURKEY SIZE](#)
- 92.[F SHRIMP SIZE](#)
- 93.[SHELLFISH SIZE](#)
- 94.[F FISH SIZE](#)
- 95.[B FISH SIZE](#)
- 96.[CAN TUNA SIZE](#)
- 97.[CAN FISH SIZE](#)
- 98.[SALT FISH SIZE](#)
- 99.[BACON FQ](#)
- 100.[REG HDOG FQ](#)
- 101.[CHICK\\_HDOG FQ](#)
- 102.[SPAM FQ](#)
- 103.[SAUSAGE FQ](#)
- 104.[MEAT TACOS FQ](#)
- 105.[CHICK TACOS FQ](#)
- 106.[MEAT BURR FQ](#)
- 107.[VEG BURR FQ](#)
- 108.[CHICK ENCH FQ](#)

109.[BEEF\\_ENCH\\_FQ](#)  
110.[CHEE\\_ENCH\\_FQ](#)  
111.[TAMALES\\_FQ](#)  
112.[RELLE\\_FQ](#)  
113.[WHITE\\_RICE\\_FQ](#)  
114.[SUSHI\\_FQ](#)  
115.[BROWN\\_RICE\\_FQ](#)  
116.[MEXI\\_RICE\\_FQ](#)  
117.[FRIED\\_RICE\\_FQ](#)  
118.[FRENCH\\_FR\\_FQ](#)  
119.[MASH\\_POTA\\_FQ](#)  
120.[BAKE\\_POTA\\_FQ](#)  
121.[YAMS\\_FQ](#)  
122.[PURPLE\\_POTA\\_FQ](#)  
123.[TARO\\_FQ](#)  
124.[POI\\_FQ](#)  
125.[BACON\\_SIZE](#)  
126.[REG\\_HDOG\\_SIZE](#)  
127.[CHICK\\_HDOG\\_SIZE](#)  
128.[SPAM\\_SIZE](#)  
129.[SAUSAGE\\_SIZE](#)  
130.[MEAT\\_TACOS\\_SIZE](#)  
131.[CHICK\\_TACOS\\_SIZE](#)  
132.[MEAT\\_BURR\\_SIZE](#)  
133.[VEG\\_BURR\\_SIZE](#)  
134.[CHICK\\_ENCH\\_SIZE](#)  
135.[BEEF\\_ENCH\\_SIZE](#)  
136.[CHEE\\_ENCH\\_SIZE](#)  
137.[TAMALES\\_SIZE](#)  
138.[RELLE\\_SIZE](#)  
139.[WHITE\\_RICE\\_SIZE](#)  
140.[SUSHI\\_SIZE](#)  
141.[BROWN\\_RICE\\_SIZE](#)  
142.[MEXI\\_RICE\\_SIZE](#)  
143.[FRIED\\_RICE\\_SIZE](#)  
144.[FRENCH\\_FR\\_SIZE](#)  
145.[MASH\\_POTA\\_SIZE](#)  
146.[BAKE\\_POTA\\_SIZE](#)  
147.[YAMS\\_SIZE](#)  
148.[PURPLE\\_POTA\\_SIZE](#)  
149.[TARO\\_SIZE](#)  
150.[POI\\_SIZE](#)  
151.[LG\\_LETT\\_FQ](#)  
152.[DG\\_LETT\\_FQ](#)  
153.[TOMATO\\_FQ](#)  
154.[COLESLAW\\_FQ](#)  
155.[REG\\_DRESS\\_FQ](#)  
156.[DIET\\_DRESS\\_FQ](#)  
157.[EGG\\_FQ](#)  
158.[EGG\\_SUB\\_FQ](#)  
159.[TOFU\\_FQ](#)  
160.[FRIED\\_TOFU\\_FQ](#)  
161.[VEGE\\_MLOAF\\_FQ](#)  
162.[BROCC\\_FQ](#)  
163.[CABB\\_FQ](#)  
164.[DARK\\_LEAF\\_FQ](#)  
165.[G\\_BEAN\\_FQ](#)  
166.[OTHER\\_GREEN\\_FQ](#)

167.[CAULIF\\_FQ](#)  
168.[CARROT\\_FQ](#)  
169.[CORN\\_FQ](#)  
170.[PUMPKIN\\_FQ](#)  
171.[OTHER\\_VEGE\\_FQ](#)  
172.[LG\\_LETT\\_SIZE](#)  
173.[DG\\_LETT\\_SIZE](#)  
174.[TOMATO\\_SIZE](#)  
175.[COLESLAW\\_SIZE](#)  
176.[REG\\_DRESS\\_SIZE](#)  
177.[DIET\\_DRESS\\_SIZE](#)  
178.[EGG\\_SIZE](#)  
179.[EGG\\_SUB\\_SIZE](#)  
180.[TOFU\\_SIZE](#)  
181.[FRIED\\_TOFU\\_SIZE](#)  
182.[VEGE\\_MLOAF\\_SIZE](#)  
183.[BROCC\\_SIZE](#)  
184.[CABB\\_SIZE](#)  
185.[DARK\\_LEAF\\_SIZE](#)  
186.[G\\_BEAN\\_SIZE](#)  
187.[OTHER\\_GREEN\\_SIZE](#)  
188.[CAULIF\\_SIZE](#)  
189.[CARROT\\_SIZE](#)  
190.[CORN\\_SIZE](#)  
191.[PUMPKIN\\_SIZE](#)  
192.[OTHER\\_VEGE\\_SIZE](#)  
193.[REFRIED\\_BEAN\\_FQ](#)  
194.[BAKED\\_BEAN\\_FQ](#)  
195.[BOILED\\_BEAN\\_FQ](#)  
196.[ORANGE\\_FQ](#)  
197.[TANGERINE\\_FQ](#)  
198.[GFRUIT\\_FQ](#)  
199.[PAPAYA\\_FQ](#)  
200.[PINEAPPLE\\_FQ](#)  
201.[PEACH\\_FQ](#)  
202.[APRICOT\\_FQ](#)  
203.[PEAR\\_FQ](#)  
204.[APPLE\\_FQ](#)  
205.[BANANA\\_FQ](#)  
206.[CANTALO\\_FQ](#)  
207.[WMELON\\_FQ](#)  
208.[MANGO\\_FQ](#)  
209.[AVOCADO\\_FQ](#)  
210.[O\\_FRUIT\\_FQ](#)  
211.[ORAN\\_JUICE\\_FQ](#)  
212.[TOMA\\_JUICE\\_FQ](#)  
213.[O\\_JUICE\\_FQ](#)  
214.[WHITE\\_BREAD\\_FQ](#)  
215.[REFRIED\\_BEAN\\_SIZE](#)  
216.[BAKED\\_BEAN\\_SIZE](#)  
217.[BOILED\\_BEAN\\_SIZE](#)  
218.[ORANGE\\_SIZE](#)  
219.[TANGERINE\\_SIZE](#)  
220.[GFRUIT\\_SIZE](#)  
221.[PAPAYA\\_SIZE](#)  
222.[PINEAPPLE\\_SIZE](#)  
223.[PEACH\\_SIZE](#)  
224.[APRICOT\\_SIZE](#)

225.[PEAR\\_SIZE](#)  
226.[APPLE\\_SIZE](#)  
227.[BANANA\\_SIZE](#)  
228.[CANTALO\\_SIZE](#)  
229.[WMELON\\_SIZE](#)  
230.[MANGO\\_SIZE](#)  
231.[AVOCADO\\_SIZE](#)  
232.[O\\_FRUIT\\_SIZE](#)  
233.[ORAN\\_JUICE\\_SIZE](#)  
234.[TOMA\\_JUICE\\_SIZE](#)  
235.[O\\_JUICE\\_SIZE](#)  
236.[WHITE\\_BREAD\\_SIZE](#)  
237.[WHEAT\\_BREAD\\_FQ](#)  
238.[O\\_BREAD\\_FQ](#)  
239.[ROLL\\_FQ](#)  
240.[CORN\\_TORT\\_FQ](#)  
241.[CORN\\_MUFF\\_FQ](#)  
242.[BRAN\\_MUFF\\_FQ](#)  
243.[DONUT\\_FQ](#)  
244.[PANCAKE\\_FQ](#)  
245.[MARG\\_ON\\_BD\\_FQ](#)  
246.[BUTT\\_ON\\_BD\\_FQ](#)  
247.[PBUTT\\_ON\\_BD\\_FQ](#)  
248.[JAM\\_ON\\_BD\\_FQ](#)  
249.[MAYO\\_IN\\_SAND\\_FQ](#)  
250.[FORT\\_CRL\\_FQ](#)  
251.[FIBER\\_CRL\\_FQ](#)  
252.[O\\_COLD\\_CRL\\_FQ](#)  
253.[COOKED\\_CRL\\_FQ](#)  
254.[WHOLE\\_MILK\\_FQ](#)  
255.[LFAT\\_MILK\\_FQ](#)  
256.[NFAT\\_MILK\\_FQ](#)  
257.[YOGURT\\_FQ](#)  
258.[CHOCO\\_MILK\\_FQ](#)  
259.[MILKSHAKE\\_FQ](#)  
260.[COTT\\_CHEE\\_FQ](#)  
261.[LFAT\\_CHEE\\_FQ](#)  
262.[O\\_CHEESE\\_FQ](#)  
263.[WHEAT\\_BREAD\\_SIZE](#)  
264.[O\\_BREAD\\_SIZE](#)  
265.[ROLL\\_SIZE](#)  
266.[CORN\\_TORT\\_SIZE](#)  
267.[CORN\\_MUFF\\_SIZE](#)  
268.[BRAN\\_MUFF\\_SIZE](#)  
269.[DONUT\\_SIZE](#)  
270.[PANCAKE\\_SIZE](#)  
271.[MARG\\_ON\\_BD\\_SIZE](#)  
272.[BUTT\\_ON\\_BD\\_SIZE](#)  
273.[PBUTT\\_ON\\_BD\\_SIZE](#)  
274.[JAM\\_ON\\_BD\\_SIZE](#)  
275.[MAYO\\_IN\\_SAND\\_SIZE](#)  
276.[FORT\\_CRL\\_SIZE](#)  
277.[FIBER\\_CRL\\_SIZE](#)  
278.[O\\_COLD\\_CRL\\_SIZE](#)  
279.[COOKED\\_CRL\\_SIZE](#)  
280.[WHOLE\\_MILK\\_SIZE](#)  
281.[LFAT\\_MILK\\_SIZE](#)  
282.[NFAT\\_MILK\\_SIZE](#)

283.[YOGURT\\_SIZE](#)  
284.[CHOCO\\_MILK\\_SIZE](#)  
285.[MILKSHAKE\\_SIZE](#)  
286.[COTT\\_CHEE\\_SIZE](#)  
287.[LFAT\\_CHEE\\_SIZE](#)  
288.[O\\_CHEESE\\_SIZE](#)  
289.[ICE\\_CREAM\\_FQ](#)  
290.[SHERBET\\_FQ](#)  
291.[COOKIES\\_FQ](#)  
292.[CAKE\\_FQ](#)  
293.[FRUIT\\_PIE\\_FQ](#)  
294.[PUMP\\_PIE\\_FQ](#)  
295.[CREAM\\_PIE\\_FQ](#)  
296.[PUDDING\\_FQ](#)  
297.[CHOCO\\_CANDY\\_FQ](#)  
298.[BAO\\_FQ](#)  
299.[O\\_DIMSUM\\_FQ](#)  
300.[CRACKER\\_FQ](#)  
301.[NUTS\\_FQ](#)  
302.[CHIPS\\_FQ](#)  
303.[POPCORN\\_FQ](#)  
304.[REG\\_BEER\\_FQ](#)  
305.[L\\_BEER\\_FQ](#)  
306.[WHITE\\_WINE\\_FQ](#)  
307.[RED\\_WINE\\_FQ](#)  
308.[HARD\\_LIQ\\_FQ](#)  
309.[REG\\_SODA\\_FQ](#)  
310.[DIET\\_SODA\\_FQ](#)  
311.[ICE\\_CREAM\\_SIZE](#)  
312.[SHERBET\\_SIZE](#)  
313.[COOKIES\\_SIZE](#)  
314.[CAKE\\_SIZE](#)  
315.[FRUIT\\_PIE\\_SIZE](#)  
316.[PUMP\\_PIE\\_SIZE](#)  
317.[CREAM\\_PIE\\_SIZE](#)  
318.[PUDDING\\_SIZE](#)  
319.[CHOCO\\_CANDY\\_SIZE](#)  
320.[BAO\\_SIZE](#)  
321.[O\\_DIMSUM\\_SIZE](#)  
322.[CRACKER\\_SIZE](#)  
323.[NUTS\\_SIZE](#)  
324.[CHIPS\\_SIZE](#)  
325.[POPCORN\\_SIZE](#)  
326.[REG\\_BEER\\_SIZE](#)  
327.[L\\_BEER\\_SIZE](#)  
328.[WHITE\\_WINE\\_SIZE](#)  
329.[RED\\_WINE\\_SIZE](#)  
330.[HARD\\_LIQ\\_SIZE](#)  
331.[REG\\_SODA\\_SIZE](#)  
332.[DIET\\_SODA\\_SIZE](#)  
333.[CAPPU\\_FQ](#)  
334.[REG\\_COFF\\_FQ](#)  
335.[DECAF\\_COFF\\_FQ](#)  
336.[B\\_TEA\\_FQ](#)  
337.[G\\_TEA\\_FQ](#)  
338.[SLIMFAST\\_FQ](#)  
339.[CAPPU\\_W\\_SUGAR](#)  
340.[CAPPU\\_W\\_SUGAR\\_SUB](#)

341.[REG COFF W CREAM](#)  
342.[REG COFF W MILK](#)  
343.[REG COFF W ND CREAM](#)  
344.[REG COFF W SUGAR](#)  
345.[REG COFF W SUGAR SUB](#)  
346.[DECAF COFF W CREAM](#)  
347.[DECAF COFF W MILK](#)  
348.[DECAF COFF W ND CREAM](#)  
349.[DECAF COFF W SUGAR](#)  
350.[DECAF COFF W SUGAR SUB](#)  
351.[B TEA W CREAM](#)  
352.[B TEA W MILK](#)  
353.[B TEA W ND CREAM](#)  
354.[B TEA W SUGAR](#)  
355.[B TEA W SUGAR SUB](#)  
356.[RELISH FQ](#)  
357.[OLIVES FQ](#)  
358.[SALSA FQ](#)  
359.[GARLIC FQ](#)  
360.[ONIONS FQ](#)  
361.[ORI SALT VEGE FQ](#)  
362.[SEAWEED FQ](#)  
363.[GRAVY FQ](#)  
364.[SALT FQ](#)  
365.[SOY SAUCE FQ](#)  
366.[MUSTARD FQ](#)  
367.[CATSUP FQ](#)  
368.[SOUR CREAM FQ](#)  
369.[CHAR BROIL FQ](#)  
370.[OVEN BROIL FQ](#)  
371.[FRIED FQ](#)  
372.[BBQ FQ](#)  
373.[RED MEAT IN BBQ FQ](#)  
374.[RED MEAT IN SHOYU FQ](#)  
375.[CHICKEN IN BBQ FQ](#)  
376.[CHICKEN IN SHOYU FQ](#)  
377.[MEAT W VEGE OIL FQ](#)  
378.[MEAT W BACON FAT FQ](#)  
379.[MEAT W VEGE SHRTN FQ](#)  
380.[MEAT W MARG FQ](#)  
381.[MEAT W BUTTER FQ](#)  
382.[MEAT W NON STICK PAN FQ](#)  
383.[PREPARE OF MEAT FQ](#)  
384.[FAT OF MEAT FQ](#)  
385.[CHICK SKIN FQ](#)  
386.[MARG R STICK](#)  
387.[MARG R TUB](#)  
388.[MARG SPREAD](#)  
389.[MARG NOT USE CK](#)  
390.[MARG UNKNOWN CK](#)  
391.[BUTTER REG](#)  
392.[BUTTER WHIP](#)  
393.[BUTTER NOT USE CK](#)  
394.[BUTTER UNKNOWN CK](#)  
395.[VEG OIL SOYBEAN](#)  
396.[VEG OIL OLIVE](#)  
397.[VEG OIL CANOLA](#)  
398.[VEG OIL OTHER](#)

399.[VEG OIL NOT USE CK](#)  
400.[VEG OIL UNKNOWN CK](#)  
401.[PAN FRIED BEEF FQ](#)  
402.[PAN FRIED HAMBG FQ](#)  
403.[PAN FRIED CHICKEN FQ](#)  
404.[PAN FRIED SAUSAGE FQ](#)  
405.[PAN FRIED SPAM FQ](#)  
406.[PAN FRIED BACON FQ](#)  
407.[PAN FRIED FISH FQ](#)  
408.[O BROILED BEEF FQ](#)  
409.[O BROILED HAMBG FQ](#)  
410.[O BROILED SHRIBS FQ](#)  
411.[O BROILED CHICKEN FQ](#)  
412.[O BROILED FISH FQ](#)  
413.[GRILLED BEEF FQ](#)  
414.[GRILLED HAMBG FQ](#)  
415.[GRILLED SHRIBS FQ](#)  
416.[GRILLED CHICKEN FQ](#)  
417.[GRILLED SAUSAGE FQ](#)  
418.[GRILLED FISH FQ](#)  
419.[PAN FRIED BEEF OUTSIDE](#)  
420.[PAN FRIED HAMBG OUTSIDE](#)  
421.[PAN FRIED CHICKEN OUTSIDE](#)  
422.[PAN FRIED SAUSAGE OUTSIDE](#)  
423.[PAN FRIED SPAM OUTSIDE](#)  
424.[PAN FRIED BACON OUTSIDE](#)  
425.[PAN FRIED FISH OUTSIDE](#)  
426.[O BROILED BEEF OUTSIDE](#)  
427.[O BROILED HAMBG OUTSIDE](#)  
428.[O BROILED SHRIBS OUTSIDE](#)  
429.[O BROILED CHICKEN OUTSIDE](#)  
430.[O BROILED FISH OUTSIDE](#)  
431.[GRILLED BEEF OUTSIDE](#)  
432.[GRILLED HAMBG OUTSIDE](#)  
433.[GRILLED SHRIBS OUTSIDE](#)  
434.[GRILLED CHICKEN OUTSIDE](#)  
435.[GRILLED SAUSAGE OUTSIDE](#)  
436.[GRILLED FISH OUTSIDE](#)  
437.[STRESS TABS TYPE](#)  
438.[STRESS TABS FQ](#)  
439.[STRESS TABS LENGTH](#)  
440.[THERAGRAN TYPE](#)  
441.[THERAGRAN FQ](#)  
442.[THERAGRAN LENGTH](#)  
443.[ONE A DAY TYPE](#)  
444.[ONE A DAY FQ](#)  
445.[ONE A DAY LENGTH](#)  
446.[VITAMIN A TYPE](#)  
447.[VITAMIN A FQ](#)  
448.[VITAMIN A LENGTH](#)  
449.[VITAMIN A DOSE](#)  
450.[VITAMIN C TYPE](#)  
451.[VITAMIN C FQ](#)  
452.[VITAMIN C LENGTH](#)  
453.[VITAMIN C DOSE](#)  
454.[VITAMIN E TYPE](#)  
455.[VITAMIN E FQ](#)  
456.[VITAMIN E LENGTH](#)



- 457. [VITAMIN E DOSE](#)
- 458. [BETA\\_CAROTENE\\_TYPE](#)
- 459. [BETA\\_CAROTENE\\_FQ](#)
- 460. [BETA\\_CAROTENE\\_LENGTH](#)
- 461. [BETA\\_CAROTENE\\_DOSE](#)
- 462. [FOLATE\\_TYPE](#)
- 463. [FOLATE\\_FQ](#)
- 464. [FOLATE\\_LENGTH](#)
- 465. [FOLATE\\_DOSE](#)
- 466. [CALCIUM\\_TYPE](#)
- 467. [CALCIUM\\_FQ](#)
- 468. [CALCIUM\\_LENGTH](#)
- 469. [CALCIUM\\_DOSE](#)
- 470. [SELENIUM\\_TYPE](#)
- 471. [SELENIUM\\_FQ](#)
- 472. [SELENIUM\\_LENGTH](#)
- 473. [SELENIUM\\_DOSE](#)
- 474. [IRON\\_TYPE](#)
- 475. [IRON\\_FQ](#)
- 476. [IRON\\_LENGTH](#)
- 477. [IRON\\_DOSE](#)
- 478. [DT\\_HDQ\\_RCVD](#)

1	<b>CENTER_NO</b>	number (2,0)	Required:false
Center identification number.			

Allowable Values			
11	Sinai Health Systems (formerly Cancer Care Ontario)		
12	University of Southern California Consortium (USCC)		
14	University of Hawaii Cancer Center		
15	Mayo Clinic		
16	Fred Hutch, Seattle		
17	University of California at San Francisco (UCSF) (formerly CPIC, originally Northern California (NCCC))		

2	<b>PERSON_ID (*PK)</b>	string (12)	Required:false
Number that uniquely identifies an individual. *PERSON_ID is the primary key for the table.			

3	<b>CREAM_SOUP_FQ</b>	number (1,0)	Required:false
Cream Soup or Chowder Frequency (about 2 years ago)			

Allowable Values			
0	Never or hardly ever		
1	Once a month		

2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

4	<b>DBEAN_SOUP_FQ</b>	number (1,0)	Required:false
Dried Bean or Pea (Legume) Soup Frequency (such as Portuguese bean, split pea) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

5	<b>TOM_SOUP_FQ</b>	number (1,0)	Required:false
Tomato or Vegetable Soup Frequency (may include meat, poultry, or fish) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

6	<b>MISO_SOUP_FQ</b>	number (1,0)	Required:false																		
Miso Soup Frequency (about 2 years ago)																					
<table border="1"> <thead> <tr> <th colspan="2" data-bbox="628 219 968 277">Allowable Values</th> </tr> </thead> <tbody> <tr> <td data-bbox="628 277 667 336">0</td> <td data-bbox="667 277 968 336">Never or hardly ever</td> </tr> <tr> <td data-bbox="628 336 667 394">1</td> <td data-bbox="667 336 968 394">Once a month</td> </tr> <tr> <td data-bbox="628 394 667 452">2</td> <td data-bbox="667 394 968 452">2 to 3 times a month</td> </tr> <tr> <td data-bbox="628 452 667 510">3</td> <td data-bbox="667 452 968 510">Once a week</td> </tr> <tr> <td data-bbox="628 510 667 568">4</td> <td data-bbox="667 510 968 568">2 to 3 times a week</td> </tr> <tr> <td data-bbox="628 568 667 627">5</td> <td data-bbox="667 568 968 627">4 to 6 times a week</td> </tr> <tr> <td data-bbox="628 627 667 685">6</td> <td data-bbox="667 627 968 685">Once a day</td> </tr> <tr> <td data-bbox="628 685 667 743">7</td> <td data-bbox="667 685 968 743">2 or more times a day</td> </tr> </tbody> </table>				Allowable Values		0	Never or hardly ever	1	Once a month	2	2 to 3 times a month	3	Once a week	4	2 to 3 times a week	5	4 to 6 times a week	6	Once a day	7	2 or more times a day
Allowable Values																					
0	Never or hardly ever																				
1	Once a month																				
2	2 to 3 times a month																				
3	Once a week																				
4	2 to 3 times a week																				
5	4 to 6 times a week																				
6	Once a day																				
7	2 or more times a day																				

7	<b>BROTH_SOUP_FQ</b>	number (1,0)	Required:false																		
Broth with Noodles or Rice Frequency (such as beef noodle or chicken rice) (about 2 years ago)																					
<table border="1"> <thead> <tr> <th colspan="2" data-bbox="628 1010 968 1068">Allowable Values</th> </tr> </thead> <tbody> <tr> <td data-bbox="628 1068 667 1126">0</td> <td data-bbox="667 1068 968 1126">Never or hardly ever</td> </tr> <tr> <td data-bbox="628 1126 667 1184">1</td> <td data-bbox="667 1126 968 1184">Once a month</td> </tr> <tr> <td data-bbox="628 1184 667 1243">2</td> <td data-bbox="667 1184 968 1243">2 to 3 times a month</td> </tr> <tr> <td data-bbox="628 1243 667 1301">3</td> <td data-bbox="667 1243 968 1301">Once a week</td> </tr> <tr> <td data-bbox="628 1301 667 1359">4</td> <td data-bbox="667 1301 968 1359">2 to 3 times a week</td> </tr> <tr> <td data-bbox="628 1359 667 1417">5</td> <td data-bbox="667 1359 968 1417">4 to 6 times a week</td> </tr> <tr> <td data-bbox="628 1417 667 1476">6</td> <td data-bbox="667 1417 968 1476">Once a day</td> </tr> <tr> <td data-bbox="628 1476 667 1534">7</td> <td data-bbox="667 1476 968 1534">2 or more times a day</td> </tr> </tbody> </table>				Allowable Values		0	Never or hardly ever	1	Once a month	2	2 to 3 times a month	3	Once a week	4	2 to 3 times a week	5	4 to 6 times a week	6	Once a day	7	2 or more times a day
Allowable Values																					
0	Never or hardly ever																				
1	Once a month																				
2	2 to 3 times a month																				
3	Once a week																				
4	2 to 3 times a week																				
5	4 to 6 times a week																				
6	Once a day																				
7	2 or more times a day																				

8	<b>MEXICAN_SOUP_FQ</b>	number (1,0)	Required:false												
Mexican Meat Soup or Stew Frequency (such as menudo, albondigas, cocido, pozole) (about 2 years ago)															
<table border="1"> <thead> <tr> <th colspan="2" data-bbox="628 1798 968 1856">Allowable Values</th> </tr> </thead> <tbody> <tr> <td data-bbox="628 1856 667 1915">0</td> <td data-bbox="667 1856 968 1915">Never or hardly ever</td> </tr> <tr> <td data-bbox="628 1915 667 1973">1</td> <td data-bbox="667 1915 968 1973">Once a month</td> </tr> <tr> <td data-bbox="628 1973 667 2031">2</td> <td data-bbox="667 1973 968 2031">2 to 3 times a month</td> </tr> <tr> <td data-bbox="628 2031 667 2089">3</td> <td data-bbox="667 2031 968 2089">Once a week</td> </tr> <tr> <td data-bbox="628 2089 667 2148">4</td> <td data-bbox="667 2089 968 2148"></td> </tr> </tbody> </table>				Allowable Values		0	Never or hardly ever	1	Once a month	2	2 to 3 times a month	3	Once a week	4	
Allowable Values															
0	Never or hardly ever														
1	Once a month														
2	2 to 3 times a month														
3	Once a week														
4															

- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

9	<b>ORIENT_SOUP_FQ</b>	number (1,0)	Required:false
Oriental noodles with broth Frequency (such as ramen, saimin, won ton mein, or tong mein) (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Never or hardly ever
<input type="checkbox"/> 1	Once a month
<input type="checkbox"/> 2	2 to 3 times a month
<input type="checkbox"/> 3	Once a week
<input type="checkbox"/> 4	2 to 3 times a week
<input type="checkbox"/> 5	4 to 6 times a week
<input type="checkbox"/> 6	Once a day
<input type="checkbox"/> 7	2 or more times a day

10	<b>JOOK_FQ</b>	number (1,0)	Required:false
Jook Frequency (rice gruel - may include meat, poultry, fish, or vegetables) (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Never or hardly ever
<input type="checkbox"/> 1	Once a month
<input type="checkbox"/> 2	2 to 3 times a month
<input type="checkbox"/> 3	Once a week
<input type="checkbox"/> 4	2 to 3 times a week
<input type="checkbox"/> 5	4 to 6 times a week
<input type="checkbox"/> 6	Once a day
<input type="checkbox"/> 7	2 or more times a day

11	<b>CREAM_SOUP_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values
------------------

- |   |                   |
|---|-------------------|
| 0 | Did not eat       |
| 1 | 1/2 a cup or less |
| 2 | About 1 cup       |
| 3 | 2 cups or more    |

12

**DBEAN\_SOUP\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values
------------------

- |   |                   |
|---|-------------------|
| 0 | Did not eat       |
| 1 | 1/2 a cup or less |
| 2 | About 1 cup       |
| 3 | 2 cups or more    |

13

**TOM\_SOUP\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values
------------------

- |   |                   |
|---|-------------------|
| 0 | Did not eat       |
| 1 | 1/2 a cup or less |
| 2 | About 1 cup       |
| 3 | 2 cups or more    |

14

**MISO\_SOUP\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values
------------------

- |   |                   |
|---|-------------------|
| 0 | Did not eat       |
| 1 | 1/2 a cup or less |
| 2 | About 1 cup       |
| 3 | 2 cups or more    |

15

**BROTH\_SOUP\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/2 a cup or less

2 About 1 cup

3 2 cups or more

16 **MEXICAN\_SOUP\_SIZE** number (1,0) Required:false

The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/2 a cup or less

2 About 1 cup

3 2 cups or more

17 **ORIENT\_SOUP\_SIZE** number (1,0) Required:false

The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/2 a cup or less

2 About 1 cup

3 2 cups or more

18 **JOOK\_SIZE** number (1,0) Required:false

The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/2 a cup or less

2 About 1 cup

3 2 cups or more

19	<b>CHOW_MEIN_FQ</b>	number (1,0)	Required:false																				
Chow Mein, Chow Fun, or Yakisoba Frequency (Oriental fried noodles) (about 2 years ago)																							
<table border="1"> <tr> <td colspan="2" data-bbox="630 257 965 313">Allowable Values</td> </tr> <tr> <td data-bbox="630 324 662 369"><b>0</b></td> <td data-bbox="662 324 965 369">Never or hardly ever</td> </tr> <tr> <td data-bbox="630 380 662 425"><b>1</b></td> <td data-bbox="662 380 965 425">Once a month</td> </tr> <tr> <td data-bbox="630 436 662 481"><b>2</b></td> <td data-bbox="662 436 965 481">2 to 3 times a month</td> </tr> <tr> <td data-bbox="630 492 662 537"><b>3</b></td> <td data-bbox="662 492 965 537">Once a week</td> </tr> <tr> <td data-bbox="630 548 662 593"><b>4</b></td> <td data-bbox="662 548 965 593">2 to 3 times a week</td> </tr> <tr> <td data-bbox="630 604 662 649"><b>5</b></td> <td data-bbox="662 604 965 649">4 to 6 times a week</td> </tr> <tr> <td data-bbox="630 660 662 705"><b>6</b></td> <td data-bbox="662 660 965 705">Once a day</td> </tr> <tr> <td data-bbox="630 716 662 761"><b>7</b></td> <td data-bbox="662 716 965 761">2 or more times a day</td> </tr> <tr> <td data-bbox="630 772 662 817"><b>9</b></td> <td data-bbox="662 772 965 817">Unknown</td> </tr> </table>				Allowable Values		<b>0</b>	Never or hardly ever	<b>1</b>	Once a month	<b>2</b>	2 to 3 times a month	<b>3</b>	Once a week	<b>4</b>	2 to 3 times a week	<b>5</b>	4 to 6 times a week	<b>6</b>	Once a day	<b>7</b>	2 or more times a day	<b>9</b>	Unknown
Allowable Values																							
<b>0</b>	Never or hardly ever																						
<b>1</b>	Once a month																						
<b>2</b>	2 to 3 times a month																						
<b>3</b>	Once a week																						
<b>4</b>	2 to 3 times a week																						
<b>5</b>	4 to 6 times a week																						
<b>6</b>	Once a day																						
<b>7</b>	2 or more times a day																						
<b>9</b>	Unknown																						

20	<b>SPAG_FQ</b>	number (1,0)	Required:false																				
Spaghetti, Ravioli, Lasagna, or Other Pasta w/Tomato Sauce Frequency (about 2 years ago)																							
<table border="1"> <tr> <td colspan="2" data-bbox="630 1108 965 1164">Allowable Values</td> </tr> <tr> <td data-bbox="630 1176 662 1220"><b>0</b></td> <td data-bbox="662 1176 965 1220">Never or hardly ever</td> </tr> <tr> <td data-bbox="630 1232 662 1276"><b>1</b></td> <td data-bbox="662 1232 965 1276">Once a month</td> </tr> <tr> <td data-bbox="630 1288 662 1332"><b>2</b></td> <td data-bbox="662 1288 965 1332">2 to 3 times a month</td> </tr> <tr> <td data-bbox="630 1344 662 1388"><b>3</b></td> <td data-bbox="662 1344 965 1388">Once a week</td> </tr> <tr> <td data-bbox="630 1400 662 1444"><b>4</b></td> <td data-bbox="662 1400 965 1444">2 to 3 times a week</td> </tr> <tr> <td data-bbox="630 1456 662 1500"><b>5</b></td> <td data-bbox="662 1456 965 1500">4 to 6 times a week</td> </tr> <tr> <td data-bbox="630 1512 662 1556"><b>6</b></td> <td data-bbox="662 1512 965 1556">Once a day</td> </tr> <tr> <td data-bbox="630 1568 662 1612"><b>7</b></td> <td data-bbox="662 1568 965 1612">2 or more times a day</td> </tr> <tr> <td data-bbox="630 1624 662 1668"><b>9</b></td> <td data-bbox="662 1624 965 1668">Unknown</td> </tr> </table>				Allowable Values		<b>0</b>	Never or hardly ever	<b>1</b>	Once a month	<b>2</b>	2 to 3 times a month	<b>3</b>	Once a week	<b>4</b>	2 to 3 times a week	<b>5</b>	4 to 6 times a week	<b>6</b>	Once a day	<b>7</b>	2 or more times a day	<b>9</b>	Unknown
Allowable Values																							
<b>0</b>	Never or hardly ever																						
<b>1</b>	Once a month																						
<b>2</b>	2 to 3 times a month																						
<b>3</b>	Once a week																						
<b>4</b>	2 to 3 times a week																						
<b>5</b>	4 to 6 times a week																						
<b>6</b>	Once a day																						
<b>7</b>	2 or more times a day																						
<b>9</b>	Unknown																						

21	<b>MAC_CHEESE_FQ</b>	number (1,0)	Required:false								
Macaroni & Cheese or Other Pasta & Cheese Casseroles Frequency (about 2 years ago)											
<table border="1"> <tr> <td colspan="2" data-bbox="630 1960 965 2016">Allowable Values</td> </tr> <tr> <td data-bbox="630 2027 662 2072"><b>0</b></td> <td data-bbox="662 2027 965 2072">Never or hardly ever</td> </tr> <tr> <td data-bbox="630 2083 662 2128"><b>1</b></td> <td data-bbox="662 2083 965 2128">Once a month</td> </tr> <tr> <td data-bbox="630 2139 662 2184"></td> <td data-bbox="662 2139 965 2184"></td> </tr> </table>				Allowable Values		<b>0</b>	Never or hardly ever	<b>1</b>	Once a month		
Allowable Values											
<b>0</b>	Never or hardly ever										
<b>1</b>	Once a month										

- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day
- 9 Unknown

22	<b>POTATO_SALAD_FQ</b>	number (1,0)	Required:false
Macaroni or Potato Salad Frequency (with Mayonnaise) (about 2 years ago)			

	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td colspan="2" style="text-align: center;">Allowable Values</td></tr> <tr><td style="width: 5%; text-align: center;"><b>0</b></td><td>Never or hardly ever</td></tr> <tr><td style="text-align: center;"><b>1</b></td><td>Once a month</td></tr> <tr><td style="text-align: center;"><b>2</b></td><td>2 to 3 times a month</td></tr> <tr><td style="text-align: center;"><b>3</b></td><td>Once a week</td></tr> <tr><td style="text-align: center;"><b>4</b></td><td>2 to 3 times a week</td></tr> <tr><td style="text-align: center;"><b>5</b></td><td>4 to 6 times a week</td></tr> <tr><td style="text-align: center;"><b>6</b></td><td>Once a day</td></tr> <tr><td style="text-align: center;"><b>7</b></td><td>2 or more times a day</td></tr> <tr><td style="text-align: center;"><b>9</b></td><td>Unknown</td></tr> </table>	Allowable Values		<b>0</b>	Never or hardly ever	<b>1</b>	Once a month	<b>2</b>	2 to 3 times a month	<b>3</b>	Once a week	<b>4</b>	2 to 3 times a week	<b>5</b>	4 to 6 times a week	<b>6</b>	Once a day	<b>7</b>	2 or more times a day	<b>9</b>	Unknown
Allowable Values																					
<b>0</b>	Never or hardly ever																				
<b>1</b>	Once a month																				
<b>2</b>	2 to 3 times a month																				
<b>3</b>	Once a week																				
<b>4</b>	2 to 3 times a week																				
<b>5</b>	4 to 6 times a week																				
<b>6</b>	Once a day																				
<b>7</b>	2 or more times a day																				
<b>9</b>	Unknown																				

23	<b>PASTA_SALAD_FQ</b>	number (1,0)	Required:false
Pasta or Somen Salad Frequency (about 2 years ago)			

	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td colspan="2" style="text-align: center;">Allowable Values</td></tr> <tr><td style="width: 5%; text-align: center;"><b>0</b></td><td>Never or hardly ever</td></tr> <tr><td style="text-align: center;"><b>1</b></td><td>Once a month</td></tr> <tr><td style="text-align: center;"><b>2</b></td><td>2 to 3 times a month</td></tr> <tr><td style="text-align: center;"><b>3</b></td><td>Once a week</td></tr> <tr><td style="text-align: center;"><b>4</b></td><td>2 to 3 times a week</td></tr> <tr><td style="text-align: center;"><b>5</b></td><td>4 to 6 times a week</td></tr> <tr><td style="text-align: center;"><b>6</b></td><td>Once a day</td></tr> <tr><td style="text-align: center;"><b>7</b></td><td>2 or more times a day</td></tr> <tr><td style="text-align: center;"><b>9</b></td><td>Unknown</td></tr> </table>	Allowable Values		<b>0</b>	Never or hardly ever	<b>1</b>	Once a month	<b>2</b>	2 to 3 times a month	<b>3</b>	Once a week	<b>4</b>	2 to 3 times a week	<b>5</b>	4 to 6 times a week	<b>6</b>	Once a day	<b>7</b>	2 or more times a day	<b>9</b>	Unknown
Allowable Values																					
<b>0</b>	Never or hardly ever																				
<b>1</b>	Once a month																				
<b>2</b>	2 to 3 times a month																				
<b>3</b>	Once a week																				
<b>4</b>	2 to 3 times a week																				
<b>5</b>	4 to 6 times a week																				
<b>6</b>	Once a day																				
<b>7</b>	2 or more times a day																				
<b>9</b>	Unknown																				



9 Unknown

24	<b>NOODLE_CASS_FQ</b>	number (1,0)	Required:false
Noodle Casseroles Frequency (with tuna, chicken, or turkey) (about 2 years ago)			

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

5 4 to 6 times a week

6 Once a day

7 2 or more times a day

9 Unknown

25	<b>PASTA_CREAM_FQ</b>	number (1,0)	Required:false
Pasta with Cream Sauce Frequency (such as linguine with clam sauce, beef stroganoff) (about 2 years ago)			

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

5 4 to 6 times a week

6 Once a day

7 2 or more times a day

9 Unknown

26	<b>ARROZ_POLLO_FQ</b>	number (1,0)	Required:false
Arroz Con Pollo Frequency (rice with chicken) (about 2 years ago)			

Allowable Values

0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day
9	Unknown

27	<b>BEEF_STEW_FQ</b>	number (1,0)	Required:false
Stew, Curry, Pot Pie or Empanada (beef or lamb) Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day
9	Unknown

28	<b>CHICK_STEW_FQ</b>	number (1,0)	Required:false
Stew, Curry, Pot Pie or Empanada (chicken or turkey) Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week

6	Once a day
7	2 or more times a day
9	Unknown

29	<b>SF_MEAT_FQ</b>	number (1,0)	Required:false
Stir-Fried Beef or Pork & Vegetables, or Fajitas Frequency (such as beef broccoli, pork tofu, chop suey, sukiyaki) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day
9	Unknown

30	<b>SF_CHICK_FQ</b>	number (1,0)	Required:false
Stir-Fried Chicken & Vegetables, or Fajitas Frequency (such as sukiyaki, nishime, chicken long rice) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day
9	Unknown

--	--	--	--

31 SF\_SHRIMP\_FQ number (1,0) Required:false

Stir-Fried Shrimp or Fish and Vegetables Frequency (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

5 4 to 6 times a week

6 Once a day

7 2 or more times a day

9 Unknown

32 SF\_VEGE\_FQ number (1,0) Required:false

Stir-Fried Vegetables Frequency (no meat) (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

5 4 to 6 times a week

6 Once a day

7 2 or more times a day

9 Unknown

33 PORK\_GREEN\_FQ number (1,0) Required:false

Pork and Greens or Laukaus Frequency (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

- 3** Once a week
- 4** 2 to 3 times a week
- 5** 4 to 6 times a week
- 6** Once a day
- 7** 2 or more times a day
- 9** Unknown

<b>34</b>	<b>CHILI_FQ</b>	number (1,0)	Required:false
Chili Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| <b>0</b>         | Never or hardly ever  |
| <b>1</b>         | Once a month          |
| <b>2</b>         | 2 to 3 times a month  |
| <b>3</b>         | Once a week           |
| <b>4</b>         | 2 to 3 times a week   |
| <b>5</b>         | 4 to 6 times a week   |
| <b>6</b>         | Once a day            |
| <b>7</b>         | 2 or more times a day |
| <b>9</b>         | Unknown               |

<b>35</b>	<b>HAMB_FQ</b>	number (1,0)	Required:false
Hamburgers (on a bun) Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| <b>0</b>         | Never or hardly ever  |
| <b>1</b>         | Once a month          |
| <b>2</b>         | 2 to 3 times a month  |
| <b>3</b>         | Once a week           |
| <b>4</b>         | 2 to 3 times a week   |
| <b>5</b>         | 4 to 6 times a week   |
| <b>6</b>         | Once a day            |
| <b>7</b>         | 2 or more times a day |
| <b>9</b>         | Unknown               |

36	<b>CHEE_HAMB_FQ</b>	number (1,0)	Required:false
Cheeseburgers (on a bun) Frequency (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Never or hardly ever	
	<b>1</b>	Once a month	
	<b>2</b>	2 to 3 times a month	
	<b>3</b>	Once a week	
	<b>4</b>	2 to 3 times a week	
	<b>5</b>	4 to 6 times a week	
	<b>6</b>	Once a day	
	<b>7</b>	2 or more times a day	
	<b>9</b>	Unknown	

37	<b>MEAT_LOAF_FQ</b>	number (1,0)	Required:false
Meat Loaf, Meatballs, or Patties Frequency (not fast-food hamburgers) (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Never or hardly ever	
	<b>1</b>	Once a month	
	<b>2</b>	2 to 3 times a month	
	<b>3</b>	Once a week	
	<b>4</b>	2 to 3 times a week	
	<b>5</b>	4 to 6 times a week	
	<b>6</b>	Once a day	
	<b>7</b>	2 or more times a day	
	<b>9</b>	Unknown	

38	<b>PIZZA_FQ</b>	number (1,0)	Required:false
Pizza Frequency (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Never or hardly ever	

- |   |                       |
|---|-----------------------|
| 1 | Once a month          |
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |
| 9 | Unknown               |

39	<b>CHOW_MEIN_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                  |                   |
|------------------|-------------------|
| Allowable Values |                   |
| 0                | Did not eat       |
| 1                | 1/2 a cup or less |
| 2                | About 1 cup       |
| 3                | 2 cups or more    |

40	<b>SPAG_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                  |                   |
|------------------|-------------------|
| Allowable Values |                   |
| 0                | Did not eat       |
| 1                | 1/2 a cup or less |
| 2                | About 1 cup       |
| 3                | 2 cups or more    |

41	<b>MAC_CHEESE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                  |                   |
|------------------|-------------------|
| Allowable Values |                   |
| 0                | Did not eat       |
| 1                | 1/2 a cup or less |
| 2                | About 1 cup       |
|                  |                   |

3 | 2 cups or more

42	<b>POTATO_SALAD_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1 | 1/2 a cup or less

2 | About 1 cup

3 | 2 cups or more

43	<b>PASTA_SALAD_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1 | 1/2 a cup or less

2 | About 1 cup

3 | 2 cups or more

44	<b>NOODLE_CASS_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1 | 1/2 a cup or less

2 | About 1 cup

3 | 2 cups or more

45	<b>PASTA_CREAM_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1 | 1/2 a cup or less



2	About 1 cup
---	-------------

3	2 cups or more
---	----------------

46

**ARROZ\_POLLO\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

0	Did not eat
---	-------------

1	1/2 a cup or less
---	-------------------

2	About 1 cup
---	-------------

3	2 cups or more
---	----------------

47

**BEEF\_STEW\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

0	Did not eat
---	-------------

1	1/2 a cup or 1 Empanada
---	-------------------------

2	About 1 cup or 1 pie
---	----------------------

3	2 cups or more
---	----------------

48

**CHICK\_STEW\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

0	Did not eat
---	-------------

1	1/2 a cup or 1 Empanada
---	-------------------------

2	About 1 cup or 1 pie
---	----------------------

3	2 cups or more
---	----------------

49

**SF\_MEAT\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

--	--

- 0 Did not eat
- 1 1/2 a cup or less
- 2 About 1 cup
- 3 2 cups or more

50	<b>SF_CHICK_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                            |                   |
|----------------------------|-------------------|
| Allowable Values           |                   |
| <input type="checkbox"/> 0 | Did not eat       |
| <input type="checkbox"/> 1 | 1/2 a cup or less |
| <input type="checkbox"/> 2 | About 1 cup       |
| <input type="checkbox"/> 3 | 2 cups or more    |

51	<b>SF_SHRIMP_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                            |                   |
|----------------------------|-------------------|
| Allowable Values           |                   |
| <input type="checkbox"/> 0 | Did not eat       |
| <input type="checkbox"/> 1 | 1/2 a cup or less |
| <input type="checkbox"/> 2 | About 1 cup       |
| <input type="checkbox"/> 3 | 2 cups or more    |

52	<b>SF_VEGE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                            |                   |
|----------------------------|-------------------|
| Allowable Values           |                   |
| <input type="checkbox"/> 0 | Did not eat       |
| <input type="checkbox"/> 1 | 1/2 a cup or less |
| <input type="checkbox"/> 2 | About 1 cup       |
| <input type="checkbox"/> 3 | 2 cups or more    |

53	<b>PORK_GREEN_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

- 0** Did not eat
- 1** 1/2 a cup or less
- 2** About 1 cup
- 3** 2 cups or more

54	<b>CHILI_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

- 0** Did not eat
- 1** 1/2 a cup or less
- 2** About 1 cup
- 3** 2 cups or more

55	<b>HAMB_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

- 0** Did not eat
- 1** 1 regular size burger
- 2** 1 quarter-pound burger
- 3** 1 large double burger

56	<b>CHEE_HAMB_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

- 0** Did not eat
- 1** 1 regular size burger
- 2** 1 quarter-pound burger
- 3** 1 large double burger

57	<b>MEAT_LOAF_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <thead> <tr> <th colspan="2">Allowable Values</th> </tr> </thead> <tbody> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1 to 2 meatballs</td> </tr> <tr> <td><b>2</b></td> <td>1 patty or slice or 3 meatballs</td> </tr> <tr> <td><b>3</b></td> <td>1 large patty or 5 meatballs</td> </tr> </tbody> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1 to 2 meatballs	<b>2</b>	1 patty or slice or 3 meatballs	<b>3</b>	1 large patty or 5 meatballs
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1 to 2 meatballs												
<b>2</b>	1 patty or slice or 3 meatballs												
<b>3</b>	1 large patty or 5 meatballs												

58	<b>PIZZA_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <thead> <tr> <th colspan="2">Allowable Values</th> </tr> </thead> <tbody> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1 piece or slice or less</td> </tr> <tr> <td><b>2</b></td> <td>2 to 3 pieces</td> </tr> <tr> <td><b>3</b></td> <td>4 pieces or more</td> </tr> </tbody> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1 piece or slice or less	<b>2</b>	2 to 3 pieces	<b>3</b>	4 pieces or more
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1 piece or slice or less												
<b>2</b>	2 to 3 pieces												
<b>3</b>	4 pieces or more												

59	<b>BEEF_STEAK_FQ</b>	number (1,0)	Required:false																		
Beef Steak or Roast, Veal or Lamb Frequency (includes beef teriyaki, chile colorado, and carne asada) (about 2 years ago)																					
<table border="1"> <thead> <tr> <th colspan="2">Allowable Values</th> </tr> </thead> <tbody> <tr> <td><b>0</b></td> <td>Never or hardly ever</td> </tr> <tr> <td><b>1</b></td> <td>Once a month</td> </tr> <tr> <td><b>2</b></td> <td>2 to 3 times a month</td> </tr> <tr> <td><b>3</b></td> <td>Once a week</td> </tr> <tr> <td><b>4</b></td> <td>2 to 3 times a week</td> </tr> <tr> <td><b>5</b></td> <td>4 to 6 times a week</td> </tr> <tr> <td><b>6</b></td> <td>Once a day</td> </tr> <tr> <td><b>7</b></td> <td>2 or more times a day</td> </tr> </tbody> </table>				Allowable Values		<b>0</b>	Never or hardly ever	<b>1</b>	Once a month	<b>2</b>	2 to 3 times a month	<b>3</b>	Once a week	<b>4</b>	2 to 3 times a week	<b>5</b>	4 to 6 times a week	<b>6</b>	Once a day	<b>7</b>	2 or more times a day
Allowable Values																					
<b>0</b>	Never or hardly ever																				
<b>1</b>	Once a month																				
<b>2</b>	2 to 3 times a month																				
<b>3</b>	Once a week																				
<b>4</b>	2 to 3 times a week																				
<b>5</b>	4 to 6 times a week																				
<b>6</b>	Once a day																				
<b>7</b>	2 or more times a day																				

60	<b>SHORTTRIB_FQ</b>	number (1,0)	Required:false										
Shortribs Frequency (about 2 years ago)													
<table border="1"> <thead> <tr> <th colspan="2">Allowable Values</th> </tr> </thead> <tbody> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1 to 2 meatballs</td> </tr> <tr> <td><b>2</b></td> <td>1 patty or slice or 3 meatballs</td> </tr> <tr> <td><b>3</b></td> <td>1 large patty or 5 meatballs</td> </tr> </tbody> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1 to 2 meatballs	<b>2</b>	1 patty or slice or 3 meatballs	<b>3</b>	1 large patty or 5 meatballs
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1 to 2 meatballs												
<b>2</b>	1 patty or slice or 3 meatballs												
<b>3</b>	1 large patty or 5 meatballs												

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

61	<b>CBEEF_FQ</b>	number (1,0)	Required:false
Corned Beef Frequency (fresh or canned) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

62	<b>CB_HASH_FQ</b>	number (1,0)	Required:false
Corned Beef Hash Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day

7 | 2 or more times a day

63	<b>PCHOP_FQ</b>	number (1,0)	Required:false
Pork Chops or Roasts, Kalua Pig, or Carnitas Frequency (includes chile verde) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

64	<b>HAM_FQ</b>	number (1,0)	Required:false
Ham Frequency (includes baked, fried, or sandwich) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

65	<b>PIG_FEET_FQ</b>	number (1,0)	Required:false
Ham Hocks or Pig's Feet Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month

- 2 | 2 to 3 times a month
- 3 | Once a week
- 4 | 2 to 3 times a week
- 5 | 4 to 6 times a week
- 6 | Once a day
- 7 | 2 or more times a day

66 | **SPARERIB\_FQ** | number (1,0) | Required:false

Spareribs Frequency (about 2 years ago)

- Allowable Values
- 0 | Never or hardly ever
  - 1 | Once a month
  - 2 | 2 to 3 times a month
  - 3 | Once a week
  - 4 | 2 to 3 times a week
  - 5 | 4 to 6 times a week
  - 6 | Once a day
  - 7 | 2 or more times a day

67 | **LIVER\_FQ** | number (1,0) | Required:false

Liver Frequency (about 2 years ago)

- Allowable Values
- 0 | Never or hardly ever
  - 1 | Once a month
  - 2 | 2 to 3 times a month
  - 3 | Once a week
  - 4 | 2 to 3 times a week
  - 5 | 4 to 6 times a week
  - 6 | Once a day
  - 7 | 2 or more times a day

68 | **CHICK\_WING\_FQ** | number (1,0) | Required:false

Chicken or Turkey Wings Frequency (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

5 4 to 6 times a week

6 Once a day

7 2 or more times a day

69

**F\_CHICK\_FQ**

number (1,0)

Required:false

Fried Chicken Frequency (includes fried chicken sandwich, nuggets) (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

5 4 to 6 times a week

6 Once a day

7 2 or more times a day

70

**ROAST\_CHICK\_FQ**

number (1,0)

Required:false

Roasted, Baked, Grilled or Stewed Chicken Frequency (includes grilled chicken sandwich) (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week



- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

71	<b>TURKEY_FQ</b>	number (1,0)	Required:false
Turkey Frequency (includes roast, ground, deli-style, or sandwich) (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

72	<b>F_SHRIMP_FQ</b>	number (1,0)	Required:false
Fried Shrimp or Other Shellfish Frequency (includes tempura, fried calamari or squid) (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

73	<b>SHELLFISH_FQ</b>	number (1,0)	Required:false
Cooked, Canned, or Raw Shellfish Frequency (such as crab, squid, shrimp) (about 2 years ago)			

- | Allowable Values |  |
|------------------|--|
|------------------|--|

0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

74	<b>F_FISH_FQ</b>	number (1,0)	Required:false
Fried Fish Frequency (includes pan-fried fish, frozen fish sticks, fried fish sandwich) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

75	<b>B_FISH_FQ</b>	number (1,0)	Required:false
Baked, Broiled, Boiled or Raw Fish Frequency (such as red snapper, salmon, sashimi) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day

7 2 or more times a day

76	<b>CAN_TUNA_FQ</b>	number (1,0)	Required:false
Canned Tunafish Frequency (includes plain, salad, or sandwich) (about 2 years ago)			

- Allowable Values
- 0 Never or hardly ever
  - 1 Once a month
  - 2 2 to 3 times a month
  - 3 Once a week
  - 4 2 to 3 times a week
  - 5 4 to 6 times a week
  - 6 Once a day
  - 7 2 or more times a day

77	<b>CAN_FISH_FQ</b>	number (1,0)	Required:false
Other Canned Fish Frequency (such as salmon, mackerel, sardines) (about 2 years ago)			

- Allowable Values
- 0 Never or hardly ever
  - 1 Once a month
  - 2 2 to 3 times a month
  - 3 Once a week
  - 4 2 to 3 times a week
  - 5 4 to 6 times a week
  - 6 Once a day
  - 7 2 or more times a day

78	<b>SALT_FISH_FQ</b>	number (1,0)	Required:false
Salted and Dried Fish Frequency (such as ike, cuttlefish, iriko) (about 2 years ago)			

- Allowable Values
- 0 Never or hardly ever
  - 1 Once a month
  -

- |   |                       |
|---|-----------------------|
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

79	<b>BEEF_STEAK_SIZE</b>	number (1,0)	Required:false
----	------------------------	--------------	----------------

The usual serving size (about 2 years ago)

Allowable Values
------------------

0	Did not eat
---	-------------

1	1 ounce or less
---	-----------------

2	3 oz. or 1 lamb chop
---	----------------------

3	5 ounces or more
---	------------------

80	<b>SHORTRIB_SIZE</b>	number (1,0)	Required:false
----	----------------------	--------------	----------------

The usual serving size (about 2 years ago)

Allowable Values
------------------

0	Did not eat
---	-------------

1	1 ounce or less
---	-----------------

2	2 shortribs
---	-------------

3	3 ribs or more
---	----------------

81	<b>CBEEF_SIZE</b>	number (1,0)	Required:false
----	-------------------	--------------	----------------

The usual serving size (about 2 years ago)

Allowable Values
------------------

0	Did not eat
---	-------------

1	1 ounce or less
---	-----------------

2	quarter 12-oz tin
---	-------------------

3	half 12-oz tin or more
---	------------------------

82	<b>CB_HASH_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			
Allowable Values			
0 Did not eat			
1 1 patty			
2 2 patties			
3 3 patties or more			

83	<b>PCHOP_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			
Allowable Values			
0 Did not eat			
1 1 ounce or less			
2 3 ounces			
3 5 ounces or more			

84	<b>HAM_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			
Allowable Values			
0 Did not eat			
1 1 ounce or less			
2 3 ounces			
3 5 ounces or more			

85	<b>PIG_FEET_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			
Allowable Values			
0 Did not eat			
1 1 ounce or less			
2 3 ounces			
3 5 ounces or more			

86	<b>SPARERIB_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Did not eat	
	<b>1</b>	3 small or 1 long rib or less	
	<b>2</b>	2 to 3 long ribs (5-7 inches)	
	<b>3</b>	4 long ribs or more	

87	<b>LIVER_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Did not eat	
	<b>1</b>	1 ounce or less	
	<b>2</b>	3 chicken livers	
	<b>3</b>	5 ounces or more	

88	<b>CHICK_WING_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Did not eat	
	<b>1</b>	2 chicken wings or less	
	<b>2</b>	3 chicken wings	
	<b>3</b>	1 turkey or 4 chicken wings or more	

89	<b>F_CHICK_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Did not eat	
	<b>1</b>	1 drumstick	

2	1 breast, 2 thighs, 3 wings or 1 sandwich
---	---

3	2 breasts or 4 thighs
---	-----------------------

90	<b>ROAST_CHICK_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
------------------	--

0	Did not eat
---	-------------

1	1 drumstick
---	-------------

2	1 breast, 2 thighs, 3 wings or 1 sandwich
---	---

3	2 breasts or 4 thighs
---	-----------------------

91	<b>TURKEY_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
------------------	--

0	Did not eat
---	-------------

1	1 ounce or less
---	-----------------

2	3 ounces
---	----------

3	5 ounces or more
---	------------------

92	<b>F_SHRIMP_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
------------------	--

0	Did not eat
---	-------------

1	1 to 3 items
---	--------------

2	4 to 5 items or 1/2 cup
---	-------------------------

3	6 items or more
---	-----------------

93	<b>SHELLFISH_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
------------------	--

0	Did not eat
---	-------------

1	5-6 shrimp or 1/4 cup
2	1 crab or 1/2 cup
3	1 lobster tail or 1 cup or more

94	<b>F_FISH_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	about 1 ounce
2	3 oz. or 1 sandwich
3	5 ounces or more

95	<b>B_FISH_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1 ounce or less
2	3 ounces
3	5 ounces or more

96	<b>CAN_TUNA_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1/4 cup or 1/2 sandwich
2	1/2 cup or 1 sandwich
3	1 cup or 2 sandwiches

97	<b>CAN_FISH_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			



Allowable Values	
0	Did not eat
1	3 small sardines or 1/4 cup
2	1/2 cup fish
3	1 cup fish or more

98	<b>SALT_FISH_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1 slice or strip or piece
2	2 slices
3	4 slices or more

99	<b>BACON_FQ</b>	number (1,0)	Required:false
Bacon Frequency (includes Canadian bacon) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

100	<b>REG_HDOG_FQ</b>	number (1,0)	Required:false
Regular Hot Dogs (beef or pork) Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month

- |   |                       |
|---|-----------------------|
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

101	<b>CHICK_HDOG_FQ</b>	number (1,0)	Required:false
Chicken or Turkey Hot Dogs or Luncheon Meats Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

102	<b>SPAM_FQ</b>	number (1,0)	Required:false
Spam, Bologna, Salami, Pastrami or Other Luncheon Meats Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

103	<b>SAUSAGE_FQ</b>	number (1,0)	Required:false
-----	-------------------	--------------	----------------

Sausage Frequency (such as pork, beef, chorizo, Polish, Vienna, Portuguese, hot links) (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

104

**MEAT\_TACOS\_FQ**

number (1,0)

Required:false

Tacos, Tostadas, Sopes, or Taco Salad (beef or pork) Frequency (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

105

**CHICK\_TACOS\_FQ**

number (1,0)

Required:false

Tacos, Tostadas, Sopes, or Taco Salad (chicken) Frequency (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week

- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

106	<b>MEAT_BURR_FQ</b>	number (1,0)	Required:false
Meat Burritos Frequency (includes beef and bean and other combinations) (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

107	<b>VEG_BURR_FQ</b>	number (1,0)	Required:false
Vegetable or Bean Burritos, Tacos, or Tostadas (no meat) Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

108	<b>CHICK_ENCH_FQ</b>	number (1,0)	Required:false
Enchiladas with Chicken Frequency (about 2 years ago)			

- |                  |  |
|------------------|--|
| Allowable Values |  |
|                  |  |

- 0** Never or hardly ever
- 1** Once a month
- 2** 2 to 3 times a month
- 3** Once a week
- 4** 2 to 3 times a week
- 5** 4 to 6 times a week
- 6** Once a day
- 7** 2 or more times a day

109	<b>BEEF_ENCH_FQ</b>	number (1,0)	Required:false
Enchiladas with Beef Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| <b>0</b>         | Never or hardly ever  |
| <b>1</b>         | Once a month          |
| <b>2</b>         | 2 to 3 times a month  |
| <b>3</b>         | Once a week           |
| <b>4</b>         | 2 to 3 times a week   |
| <b>5</b>         | 4 to 6 times a week   |
| <b>6</b>         | Once a day            |
| <b>7</b>         | 2 or more times a day |

110	<b>CHEE_ENCH_FQ</b>	number (1,0)	Required:false
Enchiladas with Cheese, Quesadillas or Nachos with Cheese Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| <b>0</b>         | Never or hardly ever  |
| <b>1</b>         | Once a month          |
| <b>2</b>         | 2 to 3 times a month  |
| <b>3</b>         | Once a week           |
| <b>4</b>         | 2 to 3 times a week   |
| <b>5</b>         | 4 to 6 times a week   |
| <b>6</b>         | Once a day            |
| <b>7</b>         | 2 or more times a day |

111	<b>TAMALES_FQ</b>	number (1,0)	Required:false
Tamales Frequency (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	Once a week
<b>4</b>	2 to 3 times a week
<b>5</b>	4 to 6 times a week
<b>6</b>	Once a day
<b>7</b>	2 or more times a day

112	<b>RELLE_FQ</b>	number (1,0)	Required:false
Chili Rellenos Frequency (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	Once a week
<b>4</b>	2 to 3 times a week
<b>5</b>	4 to 6 times a week
<b>6</b>	Once a day
<b>7</b>	2 or more times a day

113	<b>WHITE_RICE_FQ</b>	number (1,0)	Required:false
White Rice Frequency (includes musubi) (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	

- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

114	<b>SUSHI_FQ</b>	number (1,0)	Required:false
Sushi or Barazushi Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

115	<b>BROWN_RICE_FQ</b>	number (1,0)	Required:false
Brown or Wild Rice Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

116	<b>MEXI_RICE_FQ</b>	number (1,0)	Required:false
Mexican or Spanish Rice Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

117	<b>FRIED_RICE_FQ</b>	number (1,0)	Required:false
Fried Rice Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

118	<b>FRENCH_FR_FQ</b>	number (1,0)	Required:false
French-Fried, Hash-Browned, or Other Fried Potatoes Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week



- 6 Once a day
- 7 2 or more times a day

119	<b>MASH_POTA_FQ</b>	number (1,0)	Required:false
Mashed, Scalloped or Au Gratin Potatoes Frequency (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Never or hardly ever
<input type="checkbox"/> 1	Once a month
<input type="checkbox"/> 2	2 to 3 times a month
<input type="checkbox"/> 3	Once a week
<input type="checkbox"/> 4	2 to 3 times a week
<input type="checkbox"/> 5	4 to 6 times a week
<input type="checkbox"/> 6	Once a day
<input type="checkbox"/> 7	2 or more times a day

120	<b>BAKE_POTA_FQ</b>	number (1,0)	Required:false
Baked or Boiled White Potatoes Frequency (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Never or hardly ever
<input type="checkbox"/> 1	Once a month
<input type="checkbox"/> 2	2 to 3 times a month
<input type="checkbox"/> 3	Once a week
<input type="checkbox"/> 4	2 to 3 times a week
<input type="checkbox"/> 5	4 to 6 times a week
<input type="checkbox"/> 6	Once a day
<input type="checkbox"/> 7	2 or more times a day

121	<b>YAMS_FQ</b>	number (1,0)	Required:false
Yellow-Orange Sweet Potatoes or Yams Frequency (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Never or hardly ever
<input type="checkbox"/>	

- |   |                       |
|---|-----------------------|
| 1 | Once a month          |
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

122	<b>PURPLE_POTA_FQ</b>	number (1,0)	Required:false
White or Purple Sweet Potatoes Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

123	<b>TARO_FQ</b>	number (1,0)	Required:false
Taro Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

124	<b>POI_FQ</b>	number (1,0)	Required:false
Poi Frequency (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Never or hardly ever	
	<b>1</b>	Once a month	
	<b>2</b>	2 to 3 times a month	
	<b>3</b>	Once a week	
	<b>4</b>	2 to 3 times a week	
	<b>5</b>	4 to 6 times a week	
	<b>6</b>	Once a day	
	<b>7</b>	2 or more times a day	

125	<b>BACON_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Did not eat	
	<b>1</b>	1 slice or strip or piece	
	<b>2</b>	2 slices	
	<b>3</b>	3 slices or more	

126	<b>REG_HDOG_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Did not eat	
	<b>1</b>	1/2 hotdog	
	<b>2</b>	1 hotdog	
	<b>3</b>	2 hotdogs or more	

127	<b>CHICK_HDOG_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

--	--	--	--

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1/2 hotdog or 1 slice
<b>2</b>	1 hotdog or 2 slices
<b>3</b>	2 hotdogs or 3 slices or more

128	<b>SPAM_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 slice
<b>2</b>	2 slices
<b>3</b>	3 slices or more

129	<b>SAUSAGE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 piece or link
<b>2</b>	2-3 pieces or links or 1 patty
<b>3</b>	4 pieces or links or more

130	<b>MEAT_TACOS_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 item or less
<b>2</b>	2 items
<b>3</b>	3 items or more

131	<b>CHICK_TACOS_SIZE</b>	number (1,0)	Required:false
-----	-------------------------	--------------	----------------

The usual serving size (about 2 years ago)

Allowable Values

**0** Did not eat

**1** 1 item or less

**2** 2 items

**3** 3 items or more

132

**MEAT\_BURR\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

**0** Did not eat

**1** 1 fast-food burrito

**2** 1 medium burrito

**3** 1 large or 2 fast-food burritos

133

**VEG\_BURR\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

**0** Did not eat

**1** 1 item or less

**2** 2 items

**3** 3 items or more

134

**CHICK\_ENCH\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

**0** Did not eat

**1** 1 enchilada or less

**2** 2 enchiladas

**3** 3 enchiladas or more

135	<b>BEEF_ENCH_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1 enchilada or less</td> </tr> <tr> <td><b>2</b></td> <td>2 enchiladas</td> </tr> <tr> <td><b>3</b></td> <td>3 enchiladas or more</td> </tr> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1 enchilada or less	<b>2</b>	2 enchiladas	<b>3</b>	3 enchiladas or more
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1 enchilada or less												
<b>2</b>	2 enchiladas												
<b>3</b>	3 enchiladas or more												

136	<b>CHEE_ENCH_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1 enchilada or small quesadilla</td> </tr> <tr> <td><b>2</b></td> <td>2 enchiladas or 1 serving nachos</td> </tr> <tr> <td><b>3</b></td> <td>3 enchiladas</td> </tr> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1 enchilada or small quesadilla	<b>2</b>	2 enchiladas or 1 serving nachos	<b>3</b>	3 enchiladas
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1 enchilada or small quesadilla												
<b>2</b>	2 enchiladas or 1 serving nachos												
<b>3</b>	3 enchiladas												

137	<b>TAMALES_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1/2 tamale or less</td> </tr> <tr> <td><b>2</b></td> <td>1 tamale</td> </tr> <tr> <td><b>3</b></td> <td>2 tamales or more</td> </tr> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1/2 tamale or less	<b>2</b>	1 tamale	<b>3</b>	2 tamales or more
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1/2 tamale or less												
<b>2</b>	1 tamale												
<b>3</b>	2 tamales or more												

138	<b>RELLE_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1/2 chili relleno or less</td> </tr> <tr> <td><b>2</b></td> <td>1 chili relleno</td> </tr> <tr> <td></td> <td></td> </tr> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1/2 chili relleno or less	<b>2</b>	1 chili relleno		
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1/2 chili relleno or less												
<b>2</b>	1 chili relleno												

3 | 2 chili rellenos or more

139	<b>WHITE_RICE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- Allowable Values
- 0 | Did not eat
  - 1 | 1/2 cup or 1 scoop or less
  - 2 | 1 rice bowl (1 cup) or 1 musubi
  - 3 | 2 rice bowls or musubis or more

140	<b>SUSHI_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- Allowable Values
- 0 | Did not eat
  - 1 | 1-2 pieces or small cone
  - 2 | 3-4 pieces or 1 large cone or 1/2 cup
  - 3 | 5 pieces or 1 cup or more

141	<b>BROWN_RICE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- Allowable Values
- 0 | Did not eat
  - 1 | 1/2 cup or 1 scoop or less
  - 2 | 1 cup or 2 scoops
  - 3 | 2 cups or more

142	<b>MEXI_RICE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- Allowable Values
- 0 | Did not eat
  - 1 | 1/2 cup or less

2	1 cup
3	2 cups or more

143	<b>FRIED_RICE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1/2 cup or less
2	1 cup
3	2 cups or more

144	<b>FRENCH_FR_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	fast-food small order or 1 cup
2	fast-food medium order
3	fast-food large order or more

145	<b>MASH_POTA_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1/2 cup or 1 scoop or less
2	1 cup or 2 scoops
3	2 cups or more

146	<b>BAKE_POTA_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	



<b>0</b>	Did not eat
<b>1</b>	1 small or 1/2 medium or less
<b>2</b>	1 medium (about 5 inches)
<b>3</b>	1 large potato or more

147	<b>YAMS_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 small or 1/2 medium or less
<b>2</b>	1 medium (about 5 inches)
<b>3</b>	1 large potato or more

148	<b>PURPLE_POTA_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 small or 1/2 medium or less
<b>2</b>	1 medium (about 5 inches)
<b>3</b>	1 large potato or more

149	<b>TARO_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1/4 taro or less
<b>2</b>	1/2 taro
<b>3</b>	1 whole taro or more

150	<b>POI_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 Did not eat

1 1/4 cup or less

2 1/2 cup

3 1 cup or more

151

**LG\_LETT\_FQ**

number (1,0)

Required:false

Light Green Lettuce or Tossed Salad Frequency (such as iceberg or head lettuce) (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

5 4 to 6 times a week

6 Once a day

7 2 or more times a day

152

**DG\_LETT\_FQ**

number (1,0)

Required:false

Dark Green Lettuce Frequency (such as romaine, red, butter, manoa, endive) (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

5 4 to 6 times a week

6 Once a day

7 2 or more times a day

153

**TOMATO\_FQ**

number (1,0)

Required:false

Tomatoes Frequency (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

154 **COLESLAW\_FQ** number (1,0) Required:false

Coleslaw Frequency (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

155 **REG\_DRESS\_FQ** number (1,0) Required:false

Regular Salad Dressings or Mayonnaise Added to Salads Frequency (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week

- 6 Once a day
- 7 2 or more times a day

156	<b>DIET_DRESS_FQ</b>	number (1,0)	Required:false
Low-Calorie or Diet Dressings Added to Salads Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

157	<b>EGG_FQ</b>	number (1,0)	Required:false
Eggs, Cooked or Raw Frequency (includes egg salad) (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

158	<b>EGG_SUB_FQ</b>	number (1,0)	Required:false
Egg Substitute Frequency (eating habit during the last year)			

- | Allowable Values |                      |
|------------------|----------------------|
| 0                | Never or hardly ever |
|                  |                      |

- |   |                       |
|---|-----------------------|
| 1 | Once a month          |
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

159	<b>TOFU_FQ</b>	number (1,0)	Required:false
Tofu Frequency (soybean curd, plain or in salads) (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

160	<b>FRIED_TOFU_FQ</b>	number (1,0)	Required:false
Fried Tofu Frequency (such as tau foo pok, plain or stuffed) (eating habit about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

161	<b>VEGE_MLOAF_FQ</b>	number (1,0)	Required:false
Vegetarian Meat Loaf, Meatballs or Patties Frequency (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Never or hardly ever	
	<b>1</b>	Once a month	
	<b>2</b>	2 to 3 times a month	
	<b>3</b>	Once a week	
	<b>4</b>	2 to 3 times a week	
	<b>5</b>	4 to 6 times a week	
	<b>6</b>	Once a day	
	<b>7</b>	2 or more times a day	

162	<b>BROCC_FQ</b>	number (1,0)	Required:false
Broccoli Frequency (raw or cooked) (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Never or hardly ever	
	<b>1</b>	Once a month	
	<b>2</b>	2 to 3 times a month	
	<b>3</b>	Once a week	
	<b>4</b>	2 to 3 times a week	
	<b>5</b>	4 to 6 times a week	
	<b>6</b>	Once a day	
	<b>7</b>	2 or more times a day	

163	<b>CABB_FQ</b>	number (1,0)	Required:false
Cabbage Frequency (such as head, Chinese or Napa cabbage, Brussels sprouts) (about 2 years ago)			

		Allowable Values	
	<b>0</b>	Never or hardly ever	
	<b>1</b>	Once a month	
	<b>2</b>	2 to 3 times a month	
	<b>3</b>	Once a week	

- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

164	<b>DARK_LEAF_FQ</b>	number (1,0)	Required:false
Dark Leafy Greens Frequency (such as spinach, collard, mustard or turnip greens, bok choy, watercress, chard) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

165	<b>G_BEAN_FQ</b>	number (1,0)	Required:false
Green Beans or Peas Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

166	<b>OTHER_GREEN_FQ</b>	number (1,0)	Required:false
Other Green Vegetables Frequency (such as zucchini, celery, asparagus, green pepper, okra) (about 2			

years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

167 **CAULIF\_FQ** number (1,0) Required:false  
Cauliflower Frequency (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

168 **CARROT\_FQ** number (1,0) Required:false  
Carrots Frequency (raw or cooked) (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week



- 6 Once a day
- 7 2 or more times a day

169	<b>CORN_FQ</b>	number (1,0)	Required:false
Corn Frequency (fresh, frozen, or canned) (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

170	<b>PUMPKIN_FQ</b>	number (1,0)	Required:false
Pumpkin or Yellow-Orange Winter Squash Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

171	<b>OTHER_VEGE_FQ</b>	number (1,0)	Required:false
Other Vegetables Frequency (such as white or summer squash, beets, eggplant) (about 2 years ago)			

- | Allowable Values |                      |
|------------------|----------------------|
| 0                | Never or hardly ever |
| 1                |                      |

- |   |                       |
|---|-----------------------|
| 1 | Once a month          |
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

172	<b>LG_LETT_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                  |                      |
|------------------|----------------------|
| Allowable Values |                      |
| 0                | Did not eat          |
| 1                | 1/2 cup or less      |
| 2                | about 1 cup          |
| 3                | 1-1 1/2 cups or more |

173	<b>DG_LETT_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                  |                      |
|------------------|----------------------|
| Allowable Values |                      |
| 0                | Did not eat          |
| 1                | 1/2 cup or less      |
| 2                | about 1 cup          |
| 3                | 1-1 1/2 cups or more |

174	<b>TOMATO_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                  |   |
|------------------|---|
| Allowable Values |   |
| 0                | Did not eat                                     |
| 1                | 2 slices or wedges or 2 cherry tomatoes or less |
| 2                | 4 slices or 1/2 medium tomato                   |
| 3                | 1 medium tomato or more                         |

175	<b>COLESLAW_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values			
<b>0</b>	Did not eat		
<b>1</b>	1/4 cup or less		
<b>2</b>	1/2 cup		
<b>3</b>	1 cup or more		

176	<b>REG_DRESS_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values			
<b>0</b>	Did not eat		
<b>1</b>	2 teaspoons or less		
<b>2</b>	1 tablespoon		
<b>3</b>	2 tablespoons or more		

177	<b>DIET_DRESS_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values			
<b>0</b>	Did not eat		
<b>1</b>	2 teaspoons or less		
<b>2</b>	1 tablespoon		
<b>3</b>	2 tablespoons or more		

178	<b>EGG_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values			
<b>0</b>	Did not eat		
<b>1</b>	1/2 egg		
<b> </b>			

2 | 1 egg or 1 sandwich

3 | 2 eggs or more

179	<b>EGG_SUB_SIZE</b>	number (1,0)	Required:false
Egg Substitute Frequency (eating habit during the last year)			

Allowable Values

0 | Did not eat

1 | 1/2 egg

2 | 1 egg or 1 sandwich

3 | 2 eggs or more

180	<b>TOFU_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1 | 2 cubes or 1/4 cup

2 | 1/4 block or 1/2 cup

3 | 1/2 block or more

181	<b>FRIED_TOFU_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1 | 1/2 cup or less

2 | 1 cup

3 | 1 1/2 cups

182	<b>VEGE_MLOAF_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1	1 to 2 meatballs
2	1 patty or slice or 3 meatballs
3	1 large patty or 5 meatballs or more

183	<b>BROCC_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1/4 cup or less
2	1/2 cup
3	1 cup or more

184	<b>CABB_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1/4 cup or less
2	1/2 cup
3	1 cup or more

185	<b>DARK_LEAF_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1/4 cup or less
2	1/2 cup
3	1 cup or more

186	<b>G_BEAN_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1/4 cup or less
2	1/2 cup
3	1 cup or more

187

**OTHER\_GREEN\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values	
0	Did not eat
1	1/4 cup or less
2	1/2 cup
3	1 cup or more

188

**CAULIF\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values	
0	Did not eat
1	1/4 cup or less
2	1/2 cup
3	1 cup or more

189

**CARROT\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values	
0	Did not eat
1	1/4 cup or less
2	1/2 cup
3	1 cup or more

190

**CORN\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/4 cup or less

2 1/2 cup

3 1 cup or more

191

**PUMPKIN\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/4 cup or less

2 1/2 cup

3 1 cup or more

192

**OTHER\_VEGE\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/4 cup or less

2 1/2 cup

3 1 cup or more

193

**REFRIED\_BEAN\_FQ**

number (1,0)

Required:false

Refried Beans Frequency (not in burritos or tostadas) (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

194	<b>BAKED_BEAN_FQ</b>	number (1,0)	Required:false
Baked Beans or Pork and Beans Frequency (about 2 years ago)			

- Allowable Values
- 0 Never or hardly ever
  - 1 Once a month
  - 2 2 to 3 times a month
  - 3 Once a week
  - 4 2 to 3 times a week
  - 5 4 to 6 times a week
  - 6 Once a day
  - 7 2 or more times a day

195	<b>BOILED_BEAN_FQ</b>	number (1,0)	Required:false
Boiled Dried Beans or Peas Frequency (such as red, lima, pinto or soy beans, black-eyed peas, frijoles de la olla) (about 2 years ago)			

- Allowable Values
- 0 Never or hardly ever
  - 1 Once a month
  - 2 2 to 3 times a month
  - 3 Once a week
  - 4 2 to 3 times a week
  - 5 4 to 6 times a week
  - 6 Once a day
  - 7 2 or more times a day

196	<b>ORANGE_FQ</b>	number (1,0)	Required:false
Oranges Frequency (about 2 years ago)			

Allowable Values



- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

197	<b>TANGERINE_FQ</b>	number (1,0)	Required:false
Tangerines or Mandarin Oranges Frequency (about 2 years ago)			

- Allowable Values
- 0 Never or hardly ever
  - 1 Once a month
  - 2 2 to 3 times a month
  - 3 Once a week
  - 4 2 to 3 times a week
  - 5 4 to 6 times a week
  - 6 Once a day
  - 7 2 or more times a day

198	<b>GFRUIT_FQ</b>	number (1,0)	Required:false
Grapefruit or Pomelo Frequency (about 2 years ago)			

- Allowable Values
- 0 Never or hardly ever
  - 1 Once a month
  - 2 2 to 3 times a month
  - 3 Once a week
  - 4 2 to 3 times a week
  - 5 4 to 6 times a week
  - 6 Once a day
  - 7 2 or more times a day

199	<b>PAPAYA_FQ</b>	number (1,0)	Required:false
Papaya Frequency (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	Once a week
<b>4</b>	2 to 3 times a week
<b>5</b>	4 to 6 times a week
<b>6</b>	Once a day
<b>7</b>	2 or more times a day

200	<b>PINEAPPLE_FQ</b>	number (1,0)	Required:false
Pineapple Frequency (fresh or canned) (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	Once a week
<b>4</b>	2 to 3 times a week
<b>5</b>	4 to 6 times a week
<b>6</b>	Once a day
<b>7</b>	2 or more times a day

201	<b>PEACH_FQ</b>	number (1,0)	Required:false
Peaches Frequency (fresh, canned, or dried) (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	

- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

202	<b>APRICOT_FQ</b>	number (1,0)	Required:false
Apricots Frequency (fresh, canned, or dried) (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

203	<b>PEAR_FQ</b>	number (1,0)	Required:false
Pears Frequency (fresh, canned, or dried) (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

204	<b>APPLE_FQ</b>	number (1,0)	Required:false
Apples and Applesauce Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

205	<b>BANANA_FQ</b>	number (1,0)	Required:false
Bananas Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

206	<b>CANTALO_FQ</b>	number (1,0)	Required:false
Cantaloupe Frequency (in season) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week

- 6 Once a day
- 7 2 or more times a day

207	<b>WMELON_FQ</b>	number (1,0)	Required:false
Watermelon Frequency (in season) (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Never or hardly ever
<input type="checkbox"/> 1	Once a month
<input type="checkbox"/> 2	2 to 3 times a month
<input type="checkbox"/> 3	Once a week
<input type="checkbox"/> 4	2 to 3 times a week
<input type="checkbox"/> 5	4 to 6 times a week
<input type="checkbox"/> 6	Once a day
<input type="checkbox"/> 7	2 or more times a day

208	<b>MANGO_FQ</b>	number (1,0)	Required:false
Mangoes Frequency (in season) (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Never or hardly ever
<input type="checkbox"/> 1	Once a month
<input type="checkbox"/> 2	2 to 3 times a month
<input type="checkbox"/> 3	Once a week
<input type="checkbox"/> 4	2 to 3 times a week
<input type="checkbox"/> 5	4 to 6 times a week
<input type="checkbox"/> 6	Once a day
<input type="checkbox"/> 7	2 or more times a day

209	<b>AVOCADO_FQ</b>	number (1,0)	Required:false
Avocados and Guacamole Frequency (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Never or hardly ever
<input type="checkbox"/>	

1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

210	<b>O_FRUIT_FQ</b>	number (1,0)	Required:false
Any Other Fruit Frequency (fresh, canned, or dried) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

211	<b>ORAN_JUICE_FQ</b>	number (1,0)	Required:false
Orange Or Grapefruit Juice Frequency (not orange drinks or orange soda) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

212	<b>TOMA_JUICE_FQ</b>	number (1,0)	Required:false
Tomato or V-8 Juice Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

213	<b>O_JUICE_FQ</b>	number (1,0)	Required:false
Other Fruit Juices or Fruit Drinks Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

214	<b>WHITE_BREAD_FQ</b>	number (1,0)	Required:false
White Bread Frequency (includes sandwich, French, sourdough, pan dulce, Portuguese sweet bread) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month

- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

215	<b>REFRIED_BEAN_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Did not eat
<input type="checkbox"/> 1	1/4 cup or less
<input type="checkbox"/> 2	1/2 cup
<input type="checkbox"/> 3	1 cup or more

216	<b>BAKED_BEAN_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Did not eat
<input type="checkbox"/> 1	1/4 cup or less
<input type="checkbox"/> 2	1/2 cup
<input type="checkbox"/> 3	1 cup or more

217	<b>BOILED_BEAN_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Did not eat
<input type="checkbox"/> 1	1/4 cup or less
<input type="checkbox"/> 2	1/2 cup
<input type="checkbox"/> 3	1 cup or more

218	<b>ORANGE_SIZE</b>	number (1,0)	Required:false
-----	--------------------	--------------	----------------



The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/2 orange or 1/2 cup or less

2 1 orange or 1 cup

3 2 oranges or more

219

**TANGERINE\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1 tangerine or 1/2 cup or less

2 2 tangerines or 1 cup

3 3 tangerines or more

220

**GFRUIT\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/4 cup or less

2 1/2 grapefruit or 1/2 cup

3 1 cup or more

221

**PAPAYA\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/4 papaya or less

2 1/2 papaya

3 1 papaya or more

222	<b>PINEAPPLE_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1 slice or wedge or less</td> </tr> <tr> <td><b>2</b></td> <td>1/2 cup or 2 slices or wedges</td> </tr> <tr> <td><b>3</b></td> <td>1 cup or more</td> </tr> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1 slice or wedge or less	<b>2</b>	1/2 cup or 2 slices or wedges	<b>3</b>	1 cup or more
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1 slice or wedge or less												
<b>2</b>	1/2 cup or 2 slices or wedges												
<b>3</b>	1 cup or more												

223	<b>PEACH_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1/2 peach or less</td> </tr> <tr> <td><b>2</b></td> <td>1 peach or 2 halves or 1/2 cup</td> </tr> <tr> <td><b>3</b></td> <td>2 peaches or 1 cup or more</td> </tr> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1/2 peach or less	<b>2</b>	1 peach or 2 halves or 1/2 cup	<b>3</b>	2 peaches or 1 cup or more
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1/2 peach or less												
<b>2</b>	1 peach or 2 halves or 1/2 cup												
<b>3</b>	2 peaches or 1 cup or more												

224	<b>APRICOT_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1 apricot or less</td> </tr> <tr> <td><b>2</b></td> <td>2 apricots or 1/2 cup</td> </tr> <tr> <td><b>3</b></td> <td>3 apricots or more</td> </tr> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1 apricot or less	<b>2</b>	2 apricots or 1/2 cup	<b>3</b>	3 apricots or more
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1 apricot or less												
<b>2</b>	2 apricots or 1/2 cup												
<b>3</b>	3 apricots or more												

225	<b>PEAR_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1/2 pear or 1/2 cup</td> </tr> <tr> <td><b>2</b></td> <td>1 pear or 1 cup</td> </tr> <tr> <td></td> <td></td> </tr> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1/2 pear or 1/2 cup	<b>2</b>	1 pear or 1 cup		
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1/2 pear or 1/2 cup												
<b>2</b>	1 pear or 1 cup												

3 | 2 pears or more

226	<b>APPLE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1 | 1/2 apple or 1/2 cup

2 | 1 apple or 1 cup

3 | 2 apples or more

227	<b>BANANA_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1 | 1/2 banana

2 | 1 banana

3 | 2 bananas

228	<b>CANTALO_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1 | 1/4 cantaloupe or less

2 | 1/2 cantaloupe

3 | 1 cantaloupe or more

229	<b>WMELON_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values

0 | Did not eat

1 | 1 quarter slice or less

- 2** 1 half slice or 1 cup
- 3** 1 whole slice or more

230	<b>MANGO_SIZE</b>	number (1,0)	Required:false
	The usual serving size (about 2 years ago)		

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1/2 cup of slices
<b>2</b>	1 medium or Pirie or 1 cup
<b>3</b>	1 large or Hayden or more

231	<b>AVOCADO_SIZE</b>	number (1,0)	Required:false
	The usual serving size (about 2 years ago)		

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	2 slices or 2 Tablespoons
<b>2</b>	1/4 avacado or 1/4 cup
<b>3</b>	1/2 avocado or 1/2 cup or more

232	<b>O_FRUIT_SIZE</b>	number (1,0)	Required:false
	The usual serving size (about 2 years ago)		

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1/2 cup or less
<b>2</b>	1 fruit or 1 cup
<b>3</b>	2 fruits or more

233	<b>ORAN_JUICE_SIZE</b>	number (1,0)	Required:false
	The usual serving size (about 2 years ago)		

Allowable Values	
<b>0</b>	Did not eat

0	Did not eat
1	Small juice glass (1/2 cup)
2	Large glass (8 ounces)
3	12-ounce can or more

234	<b>TOMA_JUICE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	Small juice glass (1/2 cup)
2	Large glass (8 ounces)
3	12-ounce can or more

235	<b>O_JUICE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	Small juice glass (1/2 cup)
2	Large glass (8 ounces)
3	12-ounce can or more

236	<b>WHITE_BREAD_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day

7 2 or more times a day

237	<b>WHEAT_BREAD_FQ</b>	number (1,0)	Required:false
Whole Wheat or Rye Bread Frequency (includes pumpernickel, whole wheat pita bread) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

238	<b>O_BREAD_FQ</b>	number (1,0)	Required:false
Other Bread Frequency (such as mixed grain, oat bran, raisin bread) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

239	<b>ROLL_FQ</b>	number (1,0)	Required:false
Rolls, Buns, Biscuits, or Flour Tortillas Frequency (includes bagels, English muffins) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever

- |   |                       |
|---|-----------------------|
| 1 | Once a month          |
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

240	<b>CORN_TORT_FQ</b>	number (1,0)	Required:false
Corn Tortillas Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

241	<b>CORN_MUFF_FQ</b>	number (1,0)	Required:false
Corn Muffins, Cornbread, or Cornbread Stuffing Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

242	<b>BRAN_MUFF_FQ</b>	number (1,0)	Required:false
Bran, Blueberry or Other Muffins, Banana or Mango Bread Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

243	<b>DONUT_FQ</b>	number (1,0)	Required:false
Sweet Rolls, Croissants, Doughnuts, Danish, or Coffee Cake Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

244	<b>PANCAKE_FQ</b>	number (1,0)	Required:false
Pancakes, Waffles, or French Toast Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week



- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

245	<b>MARG_ON_BD_FQ</b>	number (1,0)	Required:false
Margarine Added to Bread Items Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

246	<b>BUTT_ON_BD_FQ</b>	number (1,0)	Required:false
Butter Added to Bread Items Frequency (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

247	<b>PBUTT_ON_BD_FQ</b>	number (1,0)	Required:false
Peanut Butter Added to Bread Items Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

248	<b>JAM_ON_BD_FQ</b>	number (1,0)	Required:false
Jam or Jelly Added to Bread Items Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

249	<b>MAYO_IN_SAND_FQ</b>	number (1,0)	Required:false
Mayonnaise in Sandwiches Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day

7 | 2 or more times a day

250	<b>FORT_CRL_FQ</b>	number (1,0)	Required:false
Highly Fortified Cereals Frequency (such as Product 19, Total, Most) (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

251	<b>FIBER_CRL_FQ</b>	number (1,0)	Required:false
Bran or High Fiber Cereals Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

252	<b>O_COLD_CRL_FQ</b>	number (1,0)	Required:false
Other Cold Cereals Frequency (such as corn flakes, Cheerios, granola) (about 2 years ago)			

- | Allowable Values |                      |
|------------------|----------------------|
| 0                | Never or hardly ever |
| 1                | Once a month         |
|                  |                      |

- |   |                       |
|---|-----------------------|
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

253	<b>COOKED_CRL_FQ</b>	number (1,0)	Required:false
Cooked Cereals Frequency (such as oatmeal, cream of wheat, corn grits) (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

254	<b>WHOLE_MILK_FQ</b>	number (1,0)	Required:false
Whole Milk Frequency (as beverage or added to cereal) (about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

255	<b>LFAT_MILK_FQ</b>	number (1,0)	Required:false
-----	---------------------	--------------	----------------

Lowfat Milk (1% or 2%) Frequency (as beverage or added to cereal - includes lactaid and acidophilus milk) (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

256

**NFAT\_MILK\_FQ**

number (1,0)

Required:false

Nonfat or Skim Milk or Buttermilk Frequency (as beverage or added to cereal) (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

257

**YOGURT\_FQ**

number (1,0)

Required:false

Yogurt Frequency (includes lowfat and nonfat) (about 2 years ago)

Allowable Values

- 0 Never or hardly ever
- 1 Once a month
- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week

- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

258	<b>CHOCO_MILK_FQ</b>	number (1,0)	Required:false
Chocolate Milk, Cocoa, or Ovaltine Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| <b>0</b>         | Never or hardly ever  |
| <b>1</b>         | Once a month          |
| <b>2</b>         | 2 to 3 times a month  |
| <b>3</b>         | Once a week           |
| <b>4</b>         | 2 to 3 times a week   |
| <b>5</b>         | 4 to 6 times a week   |
| <b>6</b>         | Once a day            |
| <b>7</b>         | 2 or more times a day |

259	<b>MILKSHAKE_FQ</b>	number (1,0)	Required:false
Milkshakes or Malts Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| <b>0</b>         | Never or hardly ever  |
| <b>1</b>         | Once a month          |
| <b>2</b>         | 2 to 3 times a month  |
| <b>3</b>         | Once a week           |
| <b>4</b>         | 2 to 3 times a week   |
| <b>5</b>         | 4 to 6 times a week   |
| <b>6</b>         | Once a day            |
| <b>7</b>         | 2 or more times a day |

260	<b>COTT_CHEE_FQ</b>	number (1,0)	Required:false
Cottage Cheese Frequency (includes farmer"s and ricotta cheese) (about 2 years ago)			

- | Allowable Values         |  |
|--------------------------|--|
| <input type="checkbox"/> |  |

- 0** Never or hardly ever
- 1** Once a month
- 2** 2 to 3 times a month
- 3** Once a week
- 4** 2 to 3 times a week
- 5** 4 to 6 times a week
- 6** Once a day
- 7** 2 or more times a day

261	<b>LFAT_CHEE_FQ</b>	number (1,0)	Required:false
Lowfat Cheese Frequency (such as lowfat American, lowfat Swiss, mozzarella) (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| <b>0</b>         | Never or hardly ever  |
| <b>1</b>         | Once a month          |
| <b>2</b>         | 2 to 3 times a month  |
| <b>3</b>         | Once a week           |
| <b>4</b>         | 2 to 3 times a week   |
| <b>5</b>         | 4 to 6 times a week   |
| <b>6</b>         | Once a day            |
| <b>7</b>         | 2 or more times a day |

262	<b>O_CHEESE_FQ</b>	number (1,0)	Required:false
Other Cheese Frequency (such as American, cheddar, cream cheese) (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| <b>0</b>         | Never or hardly ever  |
| <b>1</b>         | Once a month          |
| <b>2</b>         | 2 to 3 times a month  |
| <b>3</b>         | Once a week           |
| <b>4</b>         | 2 to 3 times a week   |
| <b>5</b>         | 4 to 6 times a week   |
| <b>6</b>         | Once a day            |
| <b>7</b>         | 2 or more times a day |

263	<b>WHEAT_BREAD_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values			
<b>0</b>	Did not eat		
<b>1</b>	1 slice or less		
<b>2</b>	2 slices		
<b>3</b>	3 slices or more		

264	<b>O_BREAD_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values			
<b>0</b>	Did not eat		
<b>1</b>	1 slice or less		
<b>2</b>	2 slices		
<b>3</b>	3 slices or more		

265	<b>ROLL_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values			
<b>0</b>	Did not eat		
<b>1</b>	1 item or less		
<b>2</b>	2 items or 1 bagel or English muffin		
<b>3</b>	3 items or more		

266	<b>CORN_TORT_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values			
<b>0</b>	Did not eat		
<b>1</b>	1 tortilla		
<b> </b>			



2 | 2 tortillas

3 | 3 tortillas or more

267	<b>CORN_MUFF_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- Allowable Values
- 0 | Did not eat
  - 1 | 1 piece of cornbread or 1/2 cup stuffing
  - 2 | 1 muffin or 1 cup stuffing
  - 3 | 2 muffins or 2 pieces cornbread or more

268	<b>BRAN_MUFF_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- Allowable Values
- 0 | Did not eat
  - 1 | 1 regular muffin or 1 slice
  - 2 | 2 large muffin or 2 slices
  - 3 | 3 muffins or 3 slices or more

269	<b>DONUT_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- Allowable Values
- 0 | Did not eat
  - 1 | 1 item or less
  - 2 | 2 items
  - 3 | 3 items or more

270	<b>PANCAKE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- Allowable Values
- 0 | Did not eat

1	1 item or less
2	2 items
3	3 items or more

271	<b>MARG_ON_BD_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	spread thin
2	spread thick

272	<b>BUTT_ON_BD_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	spread thin
2	spread thick

273	<b>PBUTT_ON_BD_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	spread thin
2	spread thick

274	<b>JAM_ON_BD_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	spread thin

2 spread thick

275 **MAYO\_IN\_SAND\_SIZE** number (1,0) Required:false  
The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 spread thin

2 spread thick

276 **FORT\_CRL\_SIZE** number (1,0) Required:false  
The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/2 cup or less

2 1 cup or individual box

3 1-1/2 cups or more

277 **FIBER\_CRL\_SIZE** number (1,0) Required:false  
The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/2 cup or less

2 1 cup or individual box

3 1-1/2 cups or more

278 **O\_COLD\_CRL\_SIZE** number (1,0) Required:false  
The usual serving size (about 2 years ago)

Allowable Values

0 Did not eat

1 1/2 cup or less

2 1 cup or individual box

3	1-1/2 cups or more
---	--------------------

279	<b>COOKED_CRL_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- | Allowable Values |                            |
|------------------|----------------------------|
| 0                | Did not eat                |
| 1                | 1/2 cup or less            |
| 2                | 1 cup or individual packet |
| 3                | 1-1/2 cups or more         |

280	<b>WHOLE_MILK_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- | Allowable Values |                           |
|------------------|---------------------------|
| 0                | Did not eat               |
| 1                | 1/2 cup or less           |
| 2                | 1 cup or half-pint carton |
| 3                | 2 cups or more            |

281	<b>LFAT_MILK_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- | Allowable Values |                           |
|------------------|---------------------------|
| 0                | Did not eat               |
| 1                | 1/2 cup or less           |
| 2                | 1 cup or half-pint carton |
| 3                | 2 cups or more            |

282	<b>NFAT_MILK_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- | Allowable Values |             |
|------------------|-------------|
| 0                | Did not eat |
|                  |             |

- |   |                           |
|---|---------------------------|
| 1 | 1/2 cup or less           |
| 2 | 1 cup or half-pint carton |
| 3 | 2 cups or more            |

283	<b>YOGURT_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- | Allowable Values |                           |
|------------------|---------------------------|
| 0                | Did not eat               |
| 1                | 1/2 cup or 4-6 oz. carton |
| 2                | 1 cup or 8 oz. carton     |
| 3                | 2 cups or more            |

284	<b>CHOCO_MILK_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- | Allowable Values |                 |
|------------------|-----------------|
| 0                | Did not eat     |
| 1                | 1/2 cup or less |
| 2                | 1 cup           |
| 3                | 2 cups or more  |

285	<b>MILKSHAKE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Did not eat           |
| 1                | 1/2 milkshake or malt |
| 2                | 1 milkshake or malt   |
| 3                | 2 milkshakes or malts |

286	<b>COTT_CHEE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values
------------------

- |   |                    |
|---|--------------------|
| 0 | Did not eat        |
| 1 | 1/4 cup or less    |
| 2 | 1/2 cup or 1 scoop |
| 3 | 1 cup or more      |

287	<b>LFAT_CHEE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- | Allowable Values |                             |
|------------------|-----------------------------|
| 0                | Did not eat                 |
| 1                | 1/2 slice                   |
| 2                | 1 slice (1 ounce)           |
| 3                | 2 slices (2 ounces) or more |

288	<b>O_CHEESE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- | Allowable Values |                             |
|------------------|-----------------------------|
| 0                | Did not eat                 |
| 1                | 1/2 slice or 1 Tablespoon   |
| 2                | 1 slice (1 ounce)           |
| 3                | 2 slices (2 ounces) or more |

289	<b>ICE_CREAM_FQ</b>	number (1,0)	Required:false
Ice Cream Frequency (about 2 years ago)			

- | Allowable Values |                      |
|------------------|----------------------|
| 0                | Never or hardly ever |
| 1                | Once a month         |
| 2                | 2 to 3 times a month |
| 3                | Once a week          |
| 4                | 2 to 3 times a week  |
| 5                | 4 to 6 times a week  |
| 6                | Once a day           |

7	2 or more times a day
---	-----------------------

290	<b>SHERBET_FQ</b>	number (1,0)	Required:false
Ice Milk, Frozen Yogurt, or Sherbet Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

291	<b>COOKIES_FQ</b>	number (1,0)	Required:false
Cookies, Brownies or Fruit Bars Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

292	<b>CAKE_FQ</b>	number (1,0)	Required:false
Cake Frequency (about 2 years ago)			

- | Allowable Values |                      |
|------------------|----------------------|
| 0                | Never or hardly ever |
| 1                | Once a month         |
|                  |                      |

- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

293	<b>FRUIT_PIE_FQ</b>	number (1,0)	Required:false
Apple or Other Fruit Pies, Tarts, Cobblers, or Turnovers Frequency (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Never or hardly ever
<input type="checkbox"/> 1	Once a month
<input type="checkbox"/> 2	2 to 3 times a month
<input type="checkbox"/> 3	Once a week
<input type="checkbox"/> 4	2 to 3 times a week
<input type="checkbox"/> 5	4 to 6 times a week
<input type="checkbox"/> 6	Once a day
<input type="checkbox"/> 7	2 or more times a day

294	<b>PUMP_PIE_FQ</b>	number (1,0)	Required:false
Pumpkin, Sweet Potato, or Carrot Pies Frequency (about 2 years ago)			

Allowable Values	
<input type="checkbox"/> 0	Never or hardly ever
<input type="checkbox"/> 1	Once a month
<input type="checkbox"/> 2	2 to 3 times a month
<input type="checkbox"/> 3	Once a week
<input type="checkbox"/> 4	2 to 3 times a week
<input type="checkbox"/> 5	4 to 6 times a week
<input type="checkbox"/> 6	Once a day
<input type="checkbox"/> 7	2 or more times a day

295	<b>CREAM_PIE_FQ</b>	number (1,0)	Required:false
-----	---------------------	--------------	----------------



Cream or Custard Pies, Eclairs, or Cream Puffs Frequency (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

5 4 to 6 times a week

6 Once a day

7 2 or more times a day

296

**PUDDING\_FQ**

number (1,0)

Required:false

Puddings or Custards Frequency (includes flan) (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

5 4 to 6 times a week

6 Once a day

7 2 or more times a day

297

**CHOCO\_CANDY\_FQ**

number (1,0)

Required:false

Chocolate Candy Frequency (about 2 years ago)

Allowable Values

0 Never or hardly ever

1 Once a month

2 2 to 3 times a month

3 Once a week

4 2 to 3 times a week

- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

298	<b>BAO_FQ</b>	number (1,0)	Required:false
Dim Sum, such as Bao or Manapua Frequency (Chinese bun with meat and vegetable) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

299	<b>O_DIMSUM_FQ</b>	number (1,0)	Required:false
Other Dim Sum Frequency (such as pork hash, gau gee, fried won ton, eggroll) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

300	<b>CRACKER_FQ</b>	number (1,0)	Required:false
Crackers and Pretzels Frequency (such as soda, graham, Japanese rice crackers, wheat thins) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

301	<b>NUTS_FQ</b>	number (1,0)	Required:false
Peanuts or Other Nuts Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

302	<b>CHIPS_FQ</b>	number (1,0)	Required:false
Potato, Corn, or Tortilla or other Chips, or Chicharrones (pork rinds) Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day

7 | 2 or more times a day

303	<b>POPCORN_FQ</b>	number (1,0)	Required:false
Popcorn Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

304	<b>REG_BEER_FQ</b>	number (1,0)	Required:false
Regular or Draft Beer Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 to 3 times a day
8	4 or more times a day

305	<b>L_BEER_FQ</b>	number (1,0)	Required:false
Light Beer Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever

- 1** Once a month
- 2** 2 to 3 times a month
- 3** Once a week
- 4** 2 to 3 times a week
- 5** 4 to 6 times a week
- 6** Once a day
- 7** 2 to 3 times a day
- 8** 4 or more times a day

306	<b>WHITE_WINE_FQ</b>	number (1,0)	Required:false
White or Pink Wine Frequency (includes champagne and sake) (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| <b>0</b>         | Never or hardly ever  |
| <b>1</b>         | Once a month          |
| <b>2</b>         | 2 to 3 times a month  |
| <b>3</b>         | Once a week           |
| <b>4</b>         | 2 to 3 times a week   |
| <b>5</b>         | 4 to 6 times a week   |
| <b>6</b>         | Once a day            |
| <b>7</b>         | 2 to 3 times a day    |
| <b>8</b>         | 4 or more times a day |

307	<b>RED_WINE_FQ</b>	number (1,0)	Required:false
Red Wine Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| <b>0</b>         | Never or hardly ever  |
| <b>1</b>         | Once a month          |
| <b>2</b>         | 2 to 3 times a month  |
| <b>3</b>         | Once a week           |
| <b>4</b>         | 2 to 3 times a week   |
| <b>5</b>         | 4 to 6 times a week   |
| <b>6</b>         | Once a day            |
| <b>7</b>         | 2 to 3 times a day    |
| <b>8</b>         | 4 or more times a day |

- 7 2 to 3 times a day
- 8 4 or more times a day

308	<b>HARD_LIQ_FQ</b>	number (1,0)	Required:false
Hard Liquor Frequency (such as bourbon, scotch, gin, vodka, tequila, rum, cocktails) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 to 3 times a day
8	4 or more times a day

309	<b>REG_SODA_FQ</b>	number (1,0)	Required:false
Regular Sodas Frequency (such as Coca-Cola, Pepsi, 7-Up) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 to 3 times a day
8	4 or more times a day

310	<b>DIET_SODA_FQ</b>	number (1,0)	Required:false
Diet Sodas Frequency (such as Diet Coke, Diet Pepsi, Diet 7-Up) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 to 3 times a day
8	4 or more times a day

311	<b>ICE_CREAM_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1 scoop (1/2 cup) or less
2	2 scoops (1 cup) or 1 bar
3	3 to 4 scoops (1 pint) or more

312	<b>SHERBET_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat
1	1 scoop (1/2 cup) or less
2	2 scoops (1 cup) or 1 bar
3	3 to 4 scoops (1 pint) or more

313	<b>COOKIES_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
0	Did not eat

<b>1</b>	1 to 2 average size cookies
<b>2</b>	3 to 4 average size cookies or 1 extra large cookie or 1 brownie or 1 fruit bar
<b>3</b>	2 large cookies or brownies or more

314	<b>CAKE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 small piece or cupcake
<b>2</b>	1 average piece (1/12 cake)
<b>3</b>	2 pieces or more

315	<b>FRUIT_PIE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 small piece
<b>2</b>	1 average piece (1/8 pie) or 1 item
<b>3</b>	1/6 pie or more

316	<b>PUMP_PIE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 small piece
<b>2</b>	1 average piece (1/8 pie)
<b>3</b>	1/6 pie or more

317	<b>CREAM_PIE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			



Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 small piece
<b>2</b>	1 average piece or 1 item
<b>3</b>	1/6 pie or more

318	<b>PUDDING_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 snack-size or 1/2 cup
<b>2</b>	2 snack-size or 1 cup
<b>3</b>	3 snack-size or 1-1/2 cups

319	<b>CHOCO_CANDY_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1 to 3 pieces
<b>2</b>	1 regular bar
<b>3</b>	1 giant size bar or more

320	<b>BAO_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values	
<b>0</b>	Did not eat
<b>1</b>	1/2 bao or less
<b>2</b>	1 bao
<b>3</b>	2 bao or more

321	<b>O_DIMSUM_SIZE</b>	number (1,0)	Required:false
-----	----------------------	--------------	----------------

The usual serving size (about 2 years ago)

Allowable Values

- 0** Did not eat
- 1** 1 to 2 pieces
- 2** 3 to 4 pieces
- 3** 5 pieces or more

322

**CRACKER\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

- 0** Did not eat
- 1** 4 to 5 snack or 1 large cracker
- 2** 6 to 10 snack or 2 large crackers
- 3** 3 large crackers or more

323

**NUTS\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

- 0** Did not eat
- 1** 12 nuts or less
- 2** 1/4 cup
- 3** 1/2 cup or more

324

**CHIPS\_SIZE**

number (1,0)

Required:false

The usual serving size (about 2 years ago)

Allowable Values

- 0** Did not eat
- 1** 1 snack bag or 1/2 cup
- 2** 1-ounce bag (1 cup)
- 3** 1/2 twin pack or more

325	<b>POPCORN_SIZE</b>	number (1,0)	Required:false										
The usual serving size (about 2 years ago)													
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not eat</td> </tr> <tr> <td><b>1</b></td> <td>1 to 3 cups or less</td> </tr> <tr> <td><b>2</b></td> <td>1 microwave bag</td> </tr> <tr> <td><b>3</b></td> <td>1 medium theatre tub or more</td> </tr> </table>				Allowable Values		<b>0</b>	Did not eat	<b>1</b>	1 to 3 cups or less	<b>2</b>	1 microwave bag	<b>3</b>	1 medium theatre tub or more
Allowable Values													
<b>0</b>	Did not eat												
<b>1</b>	1 to 3 cups or less												
<b>2</b>	1 microwave bag												
<b>3</b>	1 medium theatre tub or more												

326	<b>REG_BEER_SIZE</b>	number (1,0)	Required:false												
The usual serving size (about 2 years ago)															
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not drink</td> </tr> <tr> <td><b>1</b></td> <td>1 can or bottle or less</td> </tr> <tr> <td><b>2</b></td> <td>2 cans or bottles</td> </tr> <tr> <td><b>3</b></td> <td>3 cans or bottles</td> </tr> <tr> <td><b>4</b></td> <td>4 cans or bottles or more</td> </tr> </table>				Allowable Values		<b>0</b>	Did not drink	<b>1</b>	1 can or bottle or less	<b>2</b>	2 cans or bottles	<b>3</b>	3 cans or bottles	<b>4</b>	4 cans or bottles or more
Allowable Values															
<b>0</b>	Did not drink														
<b>1</b>	1 can or bottle or less														
<b>2</b>	2 cans or bottles														
<b>3</b>	3 cans or bottles														
<b>4</b>	4 cans or bottles or more														

327	<b>L_BEER_SIZE</b>	number (1,0)	Required:false												
The usual serving size (about 2 years ago)															
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not drink</td> </tr> <tr> <td><b>1</b></td> <td>1 can or bottle or less</td> </tr> <tr> <td><b>2</b></td> <td>2 cans or bottles</td> </tr> <tr> <td><b>3</b></td> <td>3 cans or bottles</td> </tr> <tr> <td><b>4</b></td> <td>4 cans or bottles or more</td> </tr> </table>				Allowable Values		<b>0</b>	Did not drink	<b>1</b>	1 can or bottle or less	<b>2</b>	2 cans or bottles	<b>3</b>	3 cans or bottles	<b>4</b>	4 cans or bottles or more
Allowable Values															
<b>0</b>	Did not drink														
<b>1</b>	1 can or bottle or less														
<b>2</b>	2 cans or bottles														
<b>3</b>	3 cans or bottles														
<b>4</b>	4 cans or bottles or more														

328	<b>WHITE_WINE_SIZE</b>	number (1,0)	Required:false						
The usual serving size (about 2 years ago)									
<table border="1"> <tr> <td colspan="2">Allowable Values</td> </tr> <tr> <td><b>0</b></td> <td>Did not drink</td> </tr> <tr> <td></td> <td></td> </tr> </table>				Allowable Values		<b>0</b>	Did not drink		
Allowable Values									
<b>0</b>	Did not drink								

- |   |                   |
|---|-------------------|
| 1 | 1 glass or less   |
| 2 | 2 glasses         |
| 3 | 3 glasses         |
| 4 | 4 glasses or more |

329	<b>RED_WINE_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                  |                   |
|------------------|-------------------|
| Allowable Values |                   |
| 0                | Did not drink     |
| 1                | 1 glass or less   |
| 2                | 2 glasses         |
| 3                | 3 glasses         |
| 4                | 4 glasses or more |

330	<b>HARD_LIQ_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                  |                  |
|------------------|------------------|
| Allowable Values |                  |
| 0                | Did not drink    |
| 1                | 1 drink or less  |
| 2                | 2 drinks         |
| 3                | 3 drinks         |
| 4                | 4 drinks or more |

331	<b>REG_SODA_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

- |                  |                           |
|------------------|---------------------------|
| Allowable Values |                           |
| 0                | Did not drink             |
| 1                | 1/2 can or small glass    |
| 2                | 1 can or large glass      |
| 3                | 2 cans or glasses         |
| 4                | 3 cans or glasses or more |

332	<b>DIET_SODA_SIZE</b>	number (1,0)	Required:false
The usual serving size (about 2 years ago)			

Allowable Values			
	<b>0</b>	Did not drink	
	<b>1</b>	1/2 can or small glass	
	<b>2</b>	1 can or large glass	
	<b>3</b>	2 cans or glasses	
	<b>4</b>	3 cans or glasses or more	

333	<b>CAPPU_FQ</b>	number (1,0)	Required:false
Cappuccino - 1 Cup or Mug Frequency (includes café au lait, caffè latte, café con leche) (about 2 years ago)			

Allowable Values			
	<b>0</b>	Never or hardly ever	
	<b>1</b>	Once a month	
	<b>2</b>	2 to 3 times a month	
	<b>3</b>	Once a week	
	<b>4</b>	2 to 3 times a week	
	<b>5</b>	4 to 6 times a week	
	<b>6</b>	Once a day	
	<b>7</b>	2 to 3 times a day	
	<b>8</b>	4 or more times a day	

334	<b>REG_COFF_FQ</b>	number (1,0)	Required:false
Regular Coffee - 1 Cup or Mug Frequency (brewed or instant) (about 2 years ago)			

Allowable Values			
	<b>0</b>	Never or hardly ever	
	<b>1</b>	Once a month	
	<b>2</b>	2 to 3 times a month	
	<b>3</b>	Once a week	
	<b>4</b>	2 to 3 times a week	

5	4 to 6 times a week
6	Once a day
7	2 to 3 times a day
8	4 or more times a day

335	<b>DECAF_COFF_FQ</b>	number (1,0)	Required:false
Decaffeinated ("Decaf") Coffee - 1 Cup or Mug Frequency (brewed or instant) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 to 3 times a day
8	4 or more times a day

336	<b>B_TEA_FQ</b>	number (1,0)	Required:false
Black Tea - 1 Cup or Glass Frequency (such as Lipton's, oolong, iced tea) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 to 3 times a day
8	4 or more times a day

337 **G\_TEA\_FQ** number (1,0) Required:false

Green, Herbal, or Other Tea - 1 Cup Frequency (about 2 years ago)

Allowable Values

- 0** Never or hardly ever
- 1** Once a month
- 2** 2 to 3 times a month
- 3** Once a week
- 4** 2 to 3 times a week
- 5** 4 to 6 times a week
- 6** Once a day
- 7** 2 to 3 times a day
- 8** 4 or more times a day

338 **SLIMFAST\_FQ** number (1,0) Required:false

Fortified Diet Beverages - 1 Glass or Can Frequency (such as Slimfast) (about 2 years ago)

Allowable Values

- 0** Never or hardly ever
- 1** Once a month
- 2** 2 to 3 times a month
- 3** Once a week
- 4** 2 to 3 times a week
- 5** 4 to 6 times a week
- 6** Once a day
- 7** 2 to 3 times a day
- 8** 4 or more times a day

339 **CAPPU\_W\_SUGAR** number (1,0) Required:false

Additions to Cappuccino -- Sugar or Honey (about 2 years ago)

Allowable Values

- 1** Added sugar or honey

340	<b>CAPPU_W_SUGAR_SUB</b>	number (1,0)	Required:false
Additions to Cappuccino - Sugar Substitute (about 2 years ago)			
Allowable Values			
1 Added sugar substitute			

341	<b>REG_COFF_W_CREAM</b>	number (1,0)	Required:false
Addition to regular coffee - Cream or half & half (about 2 years ago)			
Allowable Values			
1 Added cream or half & half			

342	<b>REG_COFF_W_MILK</b>	number (1,0)	Required:false
Addition to regular coffee - Milk (about 2 years ago)			
Allowable Values			
1 Added milk			

343	<b>REG_COFF_W_ND_CREAM</b>	number (1,0)	Required:false
Addition to regular coffee - Non-Dairy Cream (about 2 years ago)			
Allowable Values			
1 Added non dairy cream			

344	<b>REG_COFF_W_SUGAR</b>	number (1,0)	Required:false
Addition to regular coffee - sugar or honey (about 2 years ago)			
Allowable Values			
1 Added sugar or honey			

345	<b>REG_COFF_W_SUGAR_SUB</b>	number (1,0)	Required:false
Addition to regular coffee - Sugar substitute (about 2 years ago)			
Allowable Values			
1 Added sugar substitute			



346	<b>DECAF_COFF_W_CREAM</b>	number (1,0)	Required:false
Addition to "decaf" coffee - Cream or half & half (about 2 years ago)			
Allowable Values			
1 Added cream or half & half			

347	<b>DECAF_COFF_W_MILK</b>	number (1,0)	Required:false
Addition to "decaf" coffee - Milk (about 2 years ago)			
Allowable Values			
1 Added milk			

348	<b>DECAF_COFF_W_ND_CREAM</b>	number (1,0)	Required:false
Addition to "decaf" coffee - Non-Dairy Cream (about 2 years ago)			
Allowable Values			
1 Added non dairy cream			

349	<b>DECAF_COFF_W_SUGAR</b>	number (1,0)	Required:false
Addition to "decaf" coffee - sugar or honey (about 2 years ago)			
Allowable Values			
1 Added sugar or honey			

350	<b>DECAF_COFF_W_SUGAR_SUB</b>	number (1,0)	Required:false
Addition to "decaf" coffee - Sugar substitute (about 2 years ago)			
Allowable Values			
1 Added sugar substitute			

351	<b>B_TEA_W_CREAM</b>	number (1,0)	Required:false
Addition to black tea - Cream or half & half (about 2 years ago)			
Allowable Values			
1 Added cream or half & half			

--

352	<b>B_TEA_W_MILK</b>	number (1,0)	Required:false
Addition to black tea - Milk (about 2 years ago)			

Allowable Values			
<input type="checkbox"/> 1 Added milk			

353	<b>B_TEA_W_ND_CREAM</b>	number (1,0)	Required:false
Addition to black tea - Non-Dairy Cream (about 2 years ago)			

Allowable Values			
<input type="checkbox"/> 1 Added non dairy cream			

354	<b>B_TEA_W_SUGAR</b>	number (1,0)	Required:false
Addition to black tea - sugar or honey (about 2 years ago)			

Allowable Values			
<input type="checkbox"/> 1 Added sugar or honey			

355	<b>B_TEA_W_SUGAR_SUB</b>	number (1,0)	Required:false
Addition to black tea - Sugar substitute (about 2 years ago)			

Allowable Values			
<input type="checkbox"/> 1 Added sugar substitute			

356	<b>RELISH_FQ</b>	number (1,0)	Required:false
Western Pickles or Relish Frequency (such as dill or sweet pickles) (about 2 years ago)			

Allowable Values			
<input type="checkbox"/> 0 Never or hardly ever			
<input type="checkbox"/> 1 Once a month			
<input type="checkbox"/> 2 2 to 3 times a month			
<input type="checkbox"/> 3 Once a week			
<input type="checkbox"/> 4 2 to 3 times a week			
<input type="checkbox"/>			

- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

357	<b>OLIVES_FQ</b>	number (1,0)	Required:false
Olives Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

358	<b>SALSA_FQ</b>	number (1,0)	Required:false
Salsa or Hot Chili Peppers (red or green) Frequency (about 2 years ago)			

- | Allowable Values |                       |
|------------------|-----------------------|
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

359	<b>GARLIC_FQ</b>	number (1,0)	Required:false
Garlic Frequency (about 2 years ago)			

- | Allowable Values |  |
|------------------|--|
|                  |  |

0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

360	<b>ONIONS_FQ</b>	number (1,0)	Required:false
Onions Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

361	<b>ORI_SALT_VEGE_FQ</b>	number (1,0)	Required:false
Oriental Salted or Pickled Vegetables Frequency (such as salted cabbage or leafy greens, takuwan, kim chee) (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

362	<b>SEAWEED_FQ</b>	number (1,0)	Required:false
Seaweed Frequency (fresh or dried, such as ogo limu, furikake) (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	Once a week
<b>4</b>	2 to 3 times a week
<b>5</b>	4 to 6 times a week
<b>6</b>	Once a day
<b>7</b>	2 or more times a day

363	<b>GRAVY_FQ</b>	number (1,0)	Required:false
Gravy on Meat, Potatoes, Rice Frequency (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	Once a week
<b>4</b>	2 to 3 times a week
<b>5</b>	4 to 6 times a week
<b>6</b>	Once a day
<b>7</b>	2 or more times a day

364	<b>SALT_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU ADD THE FOLLOWING ITEM TO YOUR FOODS AT THE TABLE -- Salt Frequency (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month

- |   |                       |
|---|-----------------------|
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

365	<b>SOY_SAUCE_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU ADD THE FOLLOWING ITEM TO YOUR FOODS AT THE TABLE -- Shoyu (Soy Sauce) or Teriyaki Sauce Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

366	<b>MUSTARD_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU ADD THE FOLLOWING ITEM TO YOUR FOODS AT THE TABLE -- Mustard Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

367	<b>CATSUP_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU ADD THE FOLLOWING ITEM TO YOUR FOODS AT THE TABLE -- Catsup Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

368	<b>SOUR_CREAM_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU ADD THE FOLLOWING ITEM TO YOUR FOODS AT THE TABLE -- Sour Cream Frequency (about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

369	<b>CHAR_BROIL_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT YOUR MEAT, POULTRY, OR FISH PREPARED IN THE FOLLOWING WAY -- Charcoal-broiled Frequency (eating habit during the last year)			

Allowable Values	
0	Never or hardly ever
1	Once a month

- 2 2 to 3 times a month
- 3 Once a week
- 4 2 to 3 times a week
- 5 4 to 6 times a week
- 6 Once a day
- 7 2 or more times a day

370	<b>OVEN_BROIL_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT YOUR MEAT, POULTRY, OR FISH PREPARED IN THE FOLLOWING WAY -- Oven-broiled Frequency (eating habit during the last year)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

371	<b>FRIED_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT YOUR MEAT, POULTRY, OR FISH PREPARED IN THE FOLLOWING WAY -- Fried Frequency (eating habit during the last year)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day



372	<b>BBQ_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT YOUR MEAT, POULTRY, OR FISH PREPARED IN THE FOLLOWING WAY -- Barbecued Frequency (eating habit during the last year)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

373	<b>RED_MEAT_IN_BBQ_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT RED MEAT THAT HAD BEEN MARINATED IN -- BBQ Sauce Frequency (eating habit about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

374	<b>RED_MEAT_IN_SHOYU_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT RED MEAT THAT HAD BEEN MARINATED IN - Teriyaki Sauce or Shoyu (Soy Sauce) frequency (eating habit about 2 years ago)			

Allowable Values	
0	Never or hardly ever
1	Once a month

- |   |                       |
|---|-----------------------|
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

375	<b>CHICKEN_IN_BBQ_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT CHICKEN THAT HAD BEEN MARINATED IN - BBQ Sauce Frequency (eating habit about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

376	<b>CHICKEN_IN_SHOYU_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT CHICKEN THAT HAD BEEN MARINATED IN - Teriyaki Sauce or Shoyu (Soy Sauce) frequency (eating habit about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

377	<b>MEAT_W_VEGE_OIL_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT MEAT, CHICKEN OR FISH COOKED WITH... Vegetable Oil Frequency (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	Once a week
<b>4</b>	2 to 3 times a week
<b>5</b>	4 to 6 times a week
<b>6</b>	Once a day
<b>7</b>	2 or more times a day

378	<b>MEAT_W_BACON_FAT_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT MEAT, CHICKEN OR FISH COOKED WITH... Salt Pork, Lard, or Bacon Fat Frequency (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	Once a week
<b>4</b>	2 to 3 times a week
<b>5</b>	4 to 6 times a week
<b>6</b>	Once a day
<b>7</b>	2 or more times a day

379	<b>MEAT_W_VEGE_SHRTN_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT MEAT, CHICKEN OR FISH COOKED WITH... Vegetable Shortening (such as Crisco) Frequency (about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month

- |   |                       |
|---|-----------------------|
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

380	<b>MEAT_W_MARG_FQ</b>	number (1,0)	Required:false
	HOW OFTEN DID YOU EAT MEAT, CHICKEN OR FISH COOKED WITH... Margarine Frequency (about 2 years ago)		

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

381	<b>MEAT_W_BUTTER_FQ</b>	number (1,0)	Required:false
	HOW OFTEN DID YOU EAT MEAT, CHICKEN OR FISH COOKED WITH... Butter Frequency (about 2 years ago)		

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

382	<b>MEAT_W_NON_STICK_PAN_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT MEAT, CHICKEN OR FISH COOKED WITH... Vegetable Spray, Water, or Non-Stick Pan Frequency (eating habit during the last year)			

Allowable Values
------------------

0	Never or hardly ever
---	----------------------

1	Once a month
---	--------------

2	2 to 3 times a month
---	----------------------

3	Once a week
---	-------------

4	2 to 3 times a week
---	---------------------

5	4 to 6 times a week
---	---------------------

6	Once a day
---	------------

7	2 or more times a day
---	-----------------------

383	<b>PREPARE_OF_MEAT_FQ</b>	number (1,0)	Required:false
WHEN YOU ATE (RED) MEAT, HOW WAS IT USUALLY PREPARED? (about 2 years ago)			

Allowable Values
------------------

1	Rare
---	------

2	Medium
---	--------

3	Well-done
---	-----------

4	Don't eat meat
---	----------------

384	<b>FAT_OF_MEAT_FQ</b>	number (1,0)	Required:false
WHEN YOU ATE (RED) MEAT, DID YOU EAT THE FAT? (about 2 years ago)			

Allowable Values
------------------

1	Most of the time
---	------------------

2	Some of the time
---	------------------

3	Never or hardly any of the time
---	---------------------------------

4	Don't eat meat
---	----------------

385	<b>CHICK_SKIN_FQ</b>	number (1,0)	Required:false
FOR THE LAST YEAR, WHEN YOU ATE CHICKEN, DID YOU EAT THE SKIN? (about 2 years ago)			

ago)

Allowable Values

- 1 Most of the time
- 2 Some of the time
- 3 Never or hardly any of the time
- 4 Don't eat meat

**MARG\_R\_STICK**

number (1,0)

Required:false

386

FOR THE LAST YEAR, WHAT KIND OF MARGARINE DID YOU USUALLY USE? -- Regular Stick type (about 2 years ago)

Allowable Values

- 1 True

**MARG\_R\_TUB**

number (1,0)

Required:false

387

FOR THE LAST YEAR, WHAT KIND OF MARGARINE DID YOU USUALLY USE? -- Regular Tub type (about 2 years ago)

Allowable Values

- 1 True

**MARG\_SPREAD**

number (1,0)

Required:false

388

FOR THE LAST YEAR, WHAT KIND OF MARGARINE DID YOU USUALLY USE? -- Diet or Spread type (about 2 years ago)

Allowable Values

- 1 True

**MARG\_NOT\_USE\_CHK**

number (1,0)

Required:false

389

FOR THE LAST YEAR, WHAT KIND OF MARGARINE DID YOU USUALLY USE? -- Don't use margarine (about 2 years ago)

Allowable Values

- 1 True

390	<b>MARG_UNKNOWN_CK</b>	number (1,0)	Required:false
-----	------------------------	--------------	----------------

FOR THE LAST YEAR, WHAT KIND OF MARGARINE DID YOU USUALLY USE? -- Don't know whether margarine was used or not. (about 2 years ago)

Allowable Values

1 True

391	<b>BUTTER_REG</b>	number (1,0)	Required:false
-----	-------------------	--------------	----------------

FOR THE LAST YEAR, WHAT KIND OF BUTTER DID YOU USUALLY USE? -- Regular type (about 2 years ago)

Allowable Values

1 True

392	<b>BUTTER_WHIP</b>	number (1,0)	Required:false
-----	--------------------	--------------	----------------

FOR THE LAST YEAR, WHAT KIND OF BUTTER DID YOU USUALLY USE? -- Whipped type (about 2 years ago)

Allowable Values

1 True

393	<b>BUTTER_NOT_USE_CK</b>	number (1,0)	Required:false
-----	--------------------------	--------------	----------------

FOR THE LAST YEAR, WHAT KIND OF BUTTER DID YOU USUALLY USE? -- Don't use butter (about 2 years ago)

Allowable Values

1 True

394	<b>BUTTER_UNKNOWN_CK</b>	number (1,0)	Required:false
-----	--------------------------	--------------	----------------

FOR THE LAST YEAR, WHAT KIND OF BUTTER DID YOU USUALLY USE? -- Don't know whether use butter or not. (about 2 years ago)

Allowable Values

1 True

395	<b>VEG_OIL_SOYBEAN</b>	number (1,0)	Required:false
-----	------------------------	--------------	----------------

FOR THE LAST YEAR, WHAT KIND OF VEGETABLE OIL DID YOU USUALLY USE? --

Soybean or Corn Oil type (about 2 years ago)

Allowable Values

1 True

**VEG\_OIL\_OLIVE**

number (1,0)

Required:false

396

FOR THE LAST YEAR, WHAT KIND OF VEGETABLE OIL DID YOU USUALLY USE? --  
Olive Oil type (about 2 years ago)

Allowable Values

1 True

**VEG\_OIL\_CANOLA**

number (1,0)

Required:false

397

FOR THE LAST YEAR, WHAT KIND OF VEGETABLE OIL DID YOU USUALLY USE? --  
Canola Oil type (about 2 years ago)

Allowable Values

1 True

**VEG\_OIL\_OTHER**

number (1,0)

Required:false

398

FOR THE LAST YEAR, WHAT KIND OF VEGETABLE OIL DID YOU USUALLY USE? -- Any  
Other Oil type (about 2 years ago)

Allowable Values

1 True

**VEG\_OIL\_NOT\_USE\_CK**

number (1,0)

Required:false

399

FOR THE LAST YEAR, WHAT KIND OF VEGETABLE OIL DID YOU USUALLY USE? -- Any  
Other Oil type (about 2 years ago)

Allowable Values

1 True

**VEG\_OIL\_UNKNOWN\_CK**

number (1,0)

Required:false

400

FOR THE LAST YEAR, WHAT KIND OF VEGETABLE OIL DID YOU USUALLY USE? Don't  
know whether use oil or not (about 2 years ago)

Allowable Values



1	True
---	------

<b>PAN_FRIED_BEEF_FQ</b>	number (1,0)	Required:false
--------------------------	--------------	----------------

401

HOW OFTEN DID YOU EAT BEEF STEAK COOKED IN A PRE-HEATED FRYING PAN OR GRIDDLE (PAN-FRIED). (habit about 2 years ago)

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

<b>PAN_FRIED_HAMBG_FQ</b>	number (1,0)	Required:false
---------------------------	--------------	----------------

402

HOW OFTEN DID YOU EAT HAMBURGER (not fast food) COOKED IN A PRE-HEATED FRYING PAN OR GRIDDLE (PAN-FRIED). (eating habit about 2 years ago)

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

<b>PAN_FRIED_CHICKEN_FQ</b>	number (1,0)	Required:false
-----------------------------	--------------	----------------

403

HOW OFTEN DID YOU EAT CHICKEN COOKED IN A PRE-HEATED FRYING PAN OR GRIDDLE (PAN-FRIED). (eating habit about 2 years ago)

Allowable Values	

- 0** Never or hardly ever
- 1** Once a month
- 2** 2 to 3 times a month
- 3** Once a week
- 4** 2 to 3 times a week
- 5** 4 to 6 times a week
- 6** Once a day
- 7** 2 or more times a day

<b>404</b>	<b>PAN_FRIED_SAUSAGE_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT SAUSAGE COOKED IN A PRE-HEATED FRYING PAN OR GRIDDLE (PAN-FRIED). (eating habit about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	Once a week
<b>4</b>	2 to 3 times a week
<b>5</b>	4 to 6 times a week
<b>6</b>	Once a day
<b>7</b>	2 or more times a day

<b>405</b>	<b>PAN_FRIED_SPAM_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT SPAM OR HAM COOKED IN A PRE-HEATED FRYING PAN OR GRIDDLE (PAN-FRIED). (eating habit about 2 years ago)			

Allowable Values	
<b>0</b>	Never or hardly ever
<b>1</b>	Once a month
<b>2</b>	2 to 3 times a month
<b>3</b>	Once a week
<b>4</b>	2 to 3 times a week
<b>5</b>	4 to 6 times a week
<b>6</b>	Once a day

7 | 2 or more times a day

	<b>PAN_FRIED_BACON_FQ</b>	number (1,0)	Required:false
406	HOW OFTEN DID YOU EAT BACON COOKED IN A PRE-HEATED FRYING PAN OR GRIDDLE (PAN-FRIED). (eating habit about 2 years ago)		

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

	<b>PAN_FRIED_FISH_FQ</b>	number (1,0)	Required:false
407	HOW OFTEN DID YOU EAT FISH COOKED IN A PRE-HEATED FRYING PAN OR GRIDDLE (PAN-FRIED). (eating habit about 2 years ago)		

Allowable Values	
0	Never or hardly ever
1	Once a month
2	2 to 3 times a month
3	Once a week
4	2 to 3 times a week
5	4 to 6 times a week
6	Once a day
7	2 or more times a day

	<b>O_BROILED_BEEF_FQ</b>	number (1,0)	Required:false
408	HOW OFTEN DID YOU EAT BEEF STEAK COOKED AT THE "BROIL" SETTING (OVEN-BROILED)? (eating habit about 2 years ago)		

Allowable Values	
0	Never or hardly ever

- |   |                       |
|---|-----------------------|
| 1 | Once a month          |
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

409	<b>O_BROILED_HAMBG_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT HAMBURGER (not fast food) COOKED AT THE "BROIL" SETTING (OVEN-BROILED)? (eating habit about 2 years ago)			

		Allowable Values	
0	Never or hardly ever		
1	Once a month		
2	2 to 3 times a month		
3	Once a week		
4	2 to 3 times a week		
5	4 to 6 times a week		
6	Once a day		
7	2 or more times a day		

410	<b>O_BROILED_SHRIBS_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT SHORTRIBS OR SPARERIBS COOKED AT THE "BROIL" SETTING (OVEN-BROILED)? (eating habit about 2 years ago)			

		Allowable Values	
0	Never or hardly ever		
1	Once a month		
2	2 to 3 times a month		
3	Once a week		
4	2 to 3 times a week		
5	4 to 6 times a week		
6	Once a day		
7	2 or more times a day		

	<b>O_BROILED_CHICKEN_FQ</b>	number (1,0)	Required:false
411	HOW OFTEN DID YOU EAT CHICKEN COOKED AT THE "BROIL" SETTING (OVEN-BROILED)? (eating habit about 2 years ago)		

		Allowable Values	
	<b>0</b>	Never or hardly ever	
	<b>1</b>	Once a month	
	<b>2</b>	2 to 3 times a month	
	<b>3</b>	Once a week	
	<b>4</b>	2 to 3 times a week	
	<b>5</b>	4 to 6 times a week	
	<b>6</b>	Once a day	
	<b>7</b>	2 or more times a day	

	<b>O_BROILED_FISH_FQ</b>	number (1,0)	Required:false
412	HOW OFTEN DID YOU EAT FISH COOKED AT THE "BROIL" SETTING (OVEN-BROILED)? (eating habit about 2 years ago)		

		Allowable Values	
	<b>0</b>	Never or hardly ever	
	<b>1</b>	Once a month	
	<b>2</b>	2 to 3 times a month	
	<b>3</b>	Once a week	
	<b>4</b>	2 to 3 times a week	
	<b>5</b>	4 to 6 times a week	
	<b>6</b>	Once a day	
	<b>7</b>	2 or more times a day	

	<b>GRILLED_BEEF_FQ</b>	number (1,0)	Required:false
413	HOW OFTEN DID YOU EAT BEEF STEAK COOKED OVER CHARCOAL OR ON AN ELECTRIC OR GAS GRILL? (GRILLED OR BARBECUED) ( eating habit about 2 years ago)		

		Allowable Values	
	<b>0</b>	Never or hardly ever	

- |   |                       |
|---|-----------------------|
| 1 | Once a month          |
| 2 | 2 to 3 times a month  |
| 3 | Once a week           |
| 4 | 2 to 3 times a week   |
| 5 | 4 to 6 times a week   |
| 6 | Once a day            |
| 7 | 2 or more times a day |

414	<b>GRILLED_HAMBG_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT HAMBURGER (not fast food) COOKED OVER CHARCOAL OR ON AN ELECTRIC OR GAS GRILL? (GRILLED OR BARBECUED) (eating habit about 2 years ago)			

- |                  |                       |
|------------------|-----------------------|
| Allowable Values |                       |
| 0                | Never or hardly ever  |
| 1                | Once a month          |
| 2                | 2 to 3 times a month  |
| 3                | Once a week           |
| 4                | 2 to 3 times a week   |
| 5                | 4 to 6 times a week   |
| 6                | Once a day            |
| 7                | 2 or more times a day |

415	<b>GRILLED_SHRIBS_FQ</b>	number (1,0)	Required:false
HOW OFTEN DID YOU EAT SHORTRIBS OR SPARERIBS COOKED OVER CHARCOAL OR ON AN ELECTRIC OR GAS GRILL? (GRILLED OR BARBECUED). (eating habit about 2 years ago)			

- |                  |                      |
|------------------|----------------------|
| Allowable Values |                      |
| 0                | Never or hardly ever |
| 1                | Once a month         |
| 2                | 2 to 3 times a month |
| 3                | Once a week          |
| 4                | 2 to 3 times a week  |
| 5                | 4 to 6 times a week  |
| 6                | Once a day           |

7 2 or more times a day

416 **GRILLED\_CHICKEN\_FQ** number (1,0) Required:false  
HOW OFTEN DID YOU EAT CHICKEN COOKED OVER CHARCOAL OR ON AN ELECTRIC OR GAS GRILL? (GRILLED OR BARBECUED) (eating habit about 2 years ago)

- Allowable Values
- 0 Never or hardly ever
  - 1 Once a month
  - 2 2 to 3 times a month
  - 3 Once a week
  - 4 2 to 3 times a week
  - 5 4 to 6 times a week
  - 6 Once a day
  - 7 2 or more times a day

417 **GRILLED\_SAUSAGE\_FQ** number (1,0) Required:false  
HOW OFTEN DID YOU EAT SAUSAGE COOKED OVER CHARCOAL OR ON AN ELECTRIC OR GAS GRILL? (GRILLED OR BARBECUED) (eating habit about 2 years ago)

- Allowable Values
- 0 Never or hardly ever
  - 1 Once a month
  - 2 2 to 3 times a month
  - 3 Once a week
  - 4 2 to 3 times a week
  - 5 4 to 6 times a week
  - 6 Once a day
  - 7 2 or more times a day

418 **GRILLED\_FISH\_FQ** number (1,0) Required:false  
HOW OFTEN DID YOU EAT FISH COOKED OVER CHARCOAL OR ON AN ELECTRIC OR GAS GRILL? (GRILLED OR BARBECUED) (eating habit about 2 years ago)

- Allowable Values
-

- 0** Never or hardly ever
- 1** Once a month
- 2** 2 to 3 times a month
- 3** Once a week
- 4** 2 to 3 times a week
- 5** 4 to 6 times a week
- 6** Once a day
- 7** 2 or more times a day

419	<b>PAN_FRIED_BEEF_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

Allowable Values	
<b>1</b>	light brown
<b>2</b>	medium brown
<b>3</b>	dark brown

420	<b>PAN_FRIED_HAMBG_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

Allowable Values	
<b>1</b>	light brown
<b>2</b>	medium brown
<b>3</b>	dark brown

421	<b>PAN_FRIED_CHICKEN_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

Allowable Values	
<b>1</b>	light brown
<b>2</b>	medium brown
<b>3</b>	dark brown

422	<b>PAN_FRIED_SAUSAGE_OUTSIDE</b>	number (1,0)	Required:false
-----	----------------------------------	--------------	----------------



HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)

Allowable Values

1 light brown

2 medium brown

3 dark brown

423

PAN\_FRIED\_SPAM\_OUTSIDE

number (1,0)

Required:false

HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)

Allowable Values

1 light brown

2 medium brown

3 dark brown

424

PAN\_FRIED\_BACON\_OUTSIDE

number (1,0)

Required:false

HOW BROWN WAS THE OUTSIDE? ( eating habit about 2 years ago)

Allowable Values

1 light brown

2 medium brown

3 dark brown

425

PAN\_FRIED\_FISH\_OUTSIDE

number (1,0)

Required:false

HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)

Allowable Values

1 light brown

2 medium brown

3 dark brown

426

O\_BROILED\_BEEF\_OUTSIDE

number (1,0)

Required:false

HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)

Allowable Values

- |   |              |
|---|--------------|
| 1 | light brown  |
| 2 | medium brown |
| 3 | dark brown   |

427	<b>O_BROILED_HAMBG_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

- |                  |              |
|------------------|--------------|
| Allowable Values |              |
| 1                | light brown  |
| 2                | medium brown |
| 3                | dark brown   |

428	<b>O_BROILED_SHRIBS_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

- |                  |              |
|------------------|--------------|
| Allowable Values |              |
| 1                | light brown  |
| 2                | medium brown |
| 3                | dark brown   |

429	<b>O_BROILED_CHICKEN_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

- |                  |              |
|------------------|--------------|
| Allowable Values |              |
| 1                | light brown  |
| 2                | medium brown |
| 3                | dark brown   |

430	<b>O_BROILED_FISH_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

- |                  |              |
|------------------|--------------|
| Allowable Values |              |
| 1                | light brown  |
| 2                | medium brown |
| 3                | dark brown   |

--

431	<b>GRILLED_BEEF_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

		Allowable Values	
		1	light brown
		2	medium brown
		3	dark brown

432	<b>GRILLED_HAMBG_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

		Allowable Values	
		1	light brown
		2	medium brown
		3	dark brown

433	<b>GRILLED_SHRIBS_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

		Allowable Values	
		1	light brown
		2	medium brown
		3	dark brown

434	<b>GRILLED_CHICKEN_OUTSIDE</b>	number (1,0)	Required:false
HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)			

		Allowable Values	
		1	light brown
		2	medium brown
		3	dark brown

435	<b>GRILLED_SAUSAGE_OUTSIDE</b>	number (1,0)	Required:false
-----	--------------------------------	--------------	----------------

HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)

Allowable Values

1 light brown

2 medium brown

3 dark brown

436 **GRILLED\_FISH\_OUTSIDE**

number (1,0)

Required:false

HOW BROWN WAS THE OUTSIDE? (eating habit about 2 years ago)

Allowable Values

1 light brown

2 medium brown

3 dark brown

437 **STRESS\_TABS\_TYPE**

number (1,0)

Required:false

DID YOU TAKE ANY MULTIVITAMINS OR MULTIVITAMINS WITH MINERALS (AT LEAST ONCE A WEEK)? -- Stress-Tabs Type (about 2 years ago)

Allowable Values

1 No

2 Yes

438 **STRESS\_TABS\_FQ**

number (1,0)

Required:false

If YES for the above question, how many tablets did you take? -- Stress Tabs Frequency (about 2 years ago)

Allowable Values

1 1 to 3 a week

2 4 to 6 a week

3 1 a day

4 2 a day

5 3 or more a day

439 **STRESS\_TABS\_LENGTH**

number (1,0)

Required:false

If YES for the above question, how many years have you taken them? (about 2 years ago)

Allowable Values

1 1 year or less

2 2 to 4 years

3 5 years

**THERAGRAN\_TYPE**

number (1,0)

Required:false

440

DID YOU TAKE ANY MULTIVITAMINS OR MULTIVITAMINS WITH MINERALS (AT LEAST ONCE A WEEK)? -- Therapeutic, Theragran Type (about 2 years ago)

Allowable Values

1 No

2 Yes

**THERAGRAN\_FQ**

number (1,0)

Required:false

441

If YES for the above question, how many tablets did you take? -- Theragran Frequency (about 2 years ago)

Allowable Values

1 1 to 3 a week

2 4 to 6 a week

3 1 a day

4 2 a day

5 3 or more a day

**THERAGRAN\_LENGTH**

number (1,0)

Required:false

442

If YES for the above question, how many years have you taken them? (about 2 years ago)

Allowable Values

1 1 year or less

2 2 to 4 years

3 5 years

**ONE\_A\_DAY\_TYPE**

number (1,0)

Required:false

443

DID YOU TAKE ANY MULTIVITAMINS OR MULTIVITAMINS WITH MINERALS (AT LEAST ONCE A WEEK)? -- One-A-Day Type (about 2 years ago)

Allowable Values

1 No

2 Yes

444 ONE\_A\_DAY\_FQ

number (1,0)

Required:false

If YES for the above question, how many tablets did you take? -- One-A-Day Frequency (about 2 years ago)

Allowable Values

1 1 to 3 a week

2 4 to 6 a week

3 1 a day

4 2 a day

5 3 or more a day

445 ONE\_A\_DAY\_LENGTH

number (1,0)

Required:false

If YES for the above question, how many years have you taken them? (about 2 years ago)

Allowable Values

1 1 year or less

2 2 to 4 years

3 5 years

446 VITAMIN\_A\_TYPE

number (1,0)

Required:false

DID YOU TAKE ANY OF THE FOLLOWING VITAMINS OR MINERALS BY ITSELF (AT LEAST ONCE A WEEK)? -- Vitamin A Type (about 2 years ago)

Allowable Values

1 No

2 Yes

447 VITAMIN\_A\_FQ

number (1,0)

Required:false

If YES for the above question, how many tablets did you take? -- Vitamin A Frequency (about 2

years ago)

Allowable Values

1 1 to 3 a week

2 4 to 6 a week

3 1 a day

4 2 a day

5 3 or more a day

448

**VITAMIN\_A\_LENGTH**

number (1,0)

Required:false

If YES for the above question, how many years have you taken them? (about 2 years ago)

Allowable Values

1 1 year or less

2 2 to 4 years

3 5 years

449

**VITAMIN\_A\_DOSE**

number (1,0)

Required:false

Dose Per Tablet (about 2 years ago)

Allowable Values

1 5,000 I.U. (International Units) or less

2 6,000 to 10,000 I.U.

3 11,000 to 24,000 I.U.

4 25,000 I.U or more

5 Don't know

450

**VITAMIN\_C\_TYPE**

number (1,0)

Required:false

DID YOU TAKE ANY OF THE FOLLOWING VITAMINS OR MINERALS BY ITSELF (AT LEAST ONCE A WEEK)? -- Vitamin C Type (about 2 years ago)

Allowable Values

1 No

2 Yes

451	<b>VITAMIN_C_FQ</b>	number (1,0)	Required:false
If YES for the above question, how many tablets did you take? -- Vitamin C Frequency (about 2 years ago)			

Allowable Values
------------------

1	1 to 3 a week
---	---------------

2	4 to 6 a week
---	---------------

3	1 a day
---	---------

4	2 a day
---	---------

5	3 or more a day
---	-----------------

452	<b>VITAMIN_C_LENGTH</b>	number (1,0)	Required:false
If YES for the above question, how many years have you taken them? (about 2 years ago)			

Allowable Values
------------------

1	1 year or less
---	----------------

2	2 to 4 years
---	--------------

3	5 years
---	---------

453	<b>VITAMIN_C_DOSE</b>	number (1,0)	Required:false
Dose Per Tablet (about 2 years ago)			

Allowable Values
------------------

1	250 mg (milligrams) or less
---	-----------------------------

2	300 to 500 mg.
---	----------------

3	600 to 4,000 mg.
---	------------------

4	5,000 to 9,000 mg.
---	--------------------

5	10,000 mg. or more
---	--------------------

6	Don't know
---	------------

454	<b>VITAMIN_E_TYPE</b>	number (1,0)	Required:false
DID YOU TAKE ANY OF THE FOLLOWING VITAMINS OR MINERALS BY ITSELF (AT LEAST ONCE A WEEK)? -- Vitamin E Type (about 2 years ago)			

Allowable Values
------------------

1	No
---	----



2 Yes

**VITAMIN\_E\_FQ** number (1,0) Required:false

455 If YES for the above question, how many tablets did you take? -- Vitamin E Frequency (about 2 years ago)

- Allowable Values
- 1 1 to 3 a week
  - 2 4 to 6 a week
  - 3 1 a day
  - 4 2 a day
  - 5 3 or more a day

**VITAMIN\_E\_LENGTH** number (1,0) Required:false

456 If YES for the above question, how many years have you taken them? (about 2 years ago)

- Allowable Values
- 1 1 year or less
  - 2 2 to 4 years
  - 3 5 years

**VITAMIN\_E\_DOSE** number (1,0) Required:false

457 Dose Per Tablet (about 2 years ago)

- Allowable Values
- 1 200 I.U. (International Units) or less
  - 2 250 to 800 I.U.
  - 3 825 to 1,200 I.U.
  - 4 1,250 I.U or more
  - 5 Don't know

**BETA\_CAROTENE\_TYPE** number (1,0) Required:false

458 DID YOU TAKE ANY OF THE FOLLOWING VITAMINS OR MINERALS BY ITSELF DURING THE LAST YEAR (AT LEAST ONCE A WEEK)? -- Beta-Carotene Type (eating habit during the last year)

Allowable Values	
------------------	--

1	No
---	----

2	Yes
---	-----

<b>BETA_CAROTENE_FQ</b>
-------------------------

number (1,0)
--------------

Required:false
----------------

459

If YES for the above question, how many tablets did you take? -- Beta-Carotene Frequency (eating habit during the last year)

Allowable Values	
------------------	--

1	1 to 3 a week
---	---------------

2	4 to 6 a week
---	---------------

3	1 a day
---	---------

4	2 a day
---	---------

5	3 or more a day
---	-----------------

<b>BETA_CAROTENE_LENGTH</b>
-----------------------------

number (1,0)
--------------

Required:false
----------------

460

If YES for the above question, how many years have you taken them? (eating habit during the last year)

Allowable Values	
------------------	--

1	1 year or less
---	----------------

2	2 to 4 years
---	--------------

3	5 years
---	---------

<b>BETA_CAROTENE_DOSE</b>
---------------------------

number (1,0)
--------------

Required:false
----------------

461

Dose Per Tablet (eating habit during the last year)

<b>FOLATE_TYPE</b>
--------------------

number (1,0)
--------------

Required:false
----------------

462

DID YOU TAKE ANY OF THE FOLLOWING VITAMINS OR MINERALS BY ITSELF ABOUT 2 YEARS AGO (AT LEAST ONCE A WEEK)? -- Folate or Folic Acid Type -- eating habit about 2 years ago

Allowable Values	
------------------	--

1	No
---	----

2	Yes
---	-----

463	<b>FOLATE_FREQ</b>	number (1,0)	Required:false
If YES for the above question, how many tablets did you take? -- Folate or Folic Acid Frequency -- eating habit about 2 years ago			

Allowable Values			
1	1 to 3 a week		
2	4 to 6 a week		
3	1 a day		
4	2 a day		
5	3 or more a day		

464	<b>FOLATE_LENGTH</b>	number (1,0)	Required:false
If YES for the above question, how many years have you taken them? -- eating habit about 2 years ago)			

Allowable Values			
1	1 year or less		
2	2 to 4 years		
3	5 years		

465	<b>FOLATE_DOSE</b>	number (1,0)	Required:false
Dose Per Tablet -- eating habit about 2 years ago			

Allowable Values			
1	250 mcg (micrograms) or less		
2	400 to 600 mcg.		
3	700 to 800 mcg.		
4	1,000 mcg. or more		
5	Don't know		

466	<b>CALCIUM_TYPE</b>	number (1,0)	Required:false
DID YOU TAKE ANY OF THE FOLLOWING VITAMINS OR MINERALS BY ITSELF(AT LEAST ONCE A WEEK)? -- Calcium Type (about 2 years ago)			

Allowable Values			

1 No

2 Yes

467	<b>CALCIUM_FQ</b>	number (1,0)	Required:false
If YES for the above question, how many tablets did you take? -- Calcium Frequency (about 2 years ago)			

Allowable Values

1 1 to 3 a week

2 4 to 6 a week

3 1 a day

4 2 a day

5 3 or more a day

468	<b>CALCIUM_LENGTH</b>	number (1,0)	Required:false
If YES for the above question, how many years have you taken them? (about 2 years ago)			

Allowable Values

1 1 year or less

2 2 to 4 years

3 5 years

469	<b>CALCIUM_DOSE</b>	number (1,0)	Required:false
Dose Per Tablet (about 2 years ago)			

Allowable Values

1 250 mg (milligrams) or less

2 300 to 600 mg.

3 625 to 1,000 mg.

4 1,250 mg. or more

5 Don't know

470	<b>SELENIUM_TYPE</b>	number (1,0)	Required:false
DID YOU TAKE ANY OF THE FOLLOWING VITAMINS OR MINERALS BY ITSELF (AT LEAST ONCE A WEEK)? -- Selenium Type (about 2 years ago)			

Allowable Values	
------------------	--

1	No
---	----

2	Yes
---	-----

471	<b>SELENIUM_FQ</b>	number (1,0)	Required:false
If YES for the above question, how many tablets did you take? -- Selenium Frequency (about 2 years ago)			

Allowable Values	
------------------	--

1	1 to 3 a week
---	---------------

2	4 to 6 a week
---	---------------

3	1 a day
---	---------

4	2 a day
---	---------

5	3 or more a day
---	-----------------

472	<b>SELENIUM_LENGTH</b>	number (1,0)	Required:false
If YES for the above question, how many years have you taken them? (about 2 years ago)			

Allowable Values	
------------------	--

1	1 year or less
---	----------------

2	2 to 4 years
---	--------------

3	5 years
---	---------

473	<b>SELENIUM_DOSE</b>	number (1,0)	Required:false
Dose Per Tablet (about 2 years ago)			

Allowable Values	
------------------	--

1	75 mcg (micrograms) or less
---	-----------------------------

2	100 to 150 mcg.
---	-----------------

3	200 to 225 mcg.
---	-----------------

4	250 mcg. or more
---	------------------

5	Don't know
---	------------

474	<b>IRON_TYPE</b>	number (1,0)	Required:false
-----	------------------	--------------	----------------

DID YOU TAKE ANY OF THE FOLLOWING VITAMINS OR MINERALS BY ITSELF (AT LEAST ONCE A WEEK)? -- Iron Type (about 2 years ago)

Allowable Values

1 No

2 Yes

475

**IRON\_FQ**

number (1,0)

Required:false

If YES for the above question, how many tablets did you take? -- Iron Frequency (about 2 years ago)

Allowable Values

1 1 to 3 a week

2 4 to 6 a week

3 1 a day

4 2 a day

5 3 or more a day

476

**IRON\_LENGTH**

number (1,0)

Required:false

If YES for the above question, how many years have you taken them? (about 2 years ago)

Allowable Values

1 1 year or less

2 2 to 4 years

3 5 years

477

**IRON\_DOSE**

number (1,0)

Required:false

Dose Per Tablet (about 2 years ago)

Allowable Values

1 50 mg (milligrams) or less

2 51 to 150 mg.

3 151 mg. or more

4 Don't know

478

**DT\_HDQ\_RCVD**

string (8)

Required:false

Date North American Diet questionnaire was completed or received (Format: YYYYMMDD).

# Module: north-american-diet

## Module Contents

### north-american-nutrient

- 1.[CENTER\\_NO](#)
- 2.[PERSON\\_ID \(\\*PK\)](#)
- 3.[CALORIES\\_IN\\_FOOD](#)
- 4.[PROTEIN\\_IN\\_FOOD](#)
- 5.[TOTAL\\_FAT\\_IN\\_FOOD](#)
- 6.[SATUR\\_FAT\\_IN\\_FOOD](#)
- 7.[MONOUNSAT FAT IN\\_FOOD](#)
- 8.[POLYUNSAT FAT IN\\_FOOD](#)
- 9.[CHOLESTEROL\\_IN\\_FOOD](#)
- 10.[CARBOHYDRATE\\_IN\\_FOOD](#)
- 11.[STARCH\\_IN\\_FOOD](#)
- 12.[DIET\\_FIBER\\_IN\\_FOOD](#)
- 13.[INSOL\\_NONSTARCH\\_POLYSAC\\_IN\\_FOOD](#)
- 14.[SOL\\_NONSTARCH\\_POLYSAC\\_IN\\_FOOD](#)
- 15.[CALCIUM\\_IN\\_FOOD](#)
- 16.[PHOSPHORUS\\_IN\\_FOOD](#)
- 17.[MAGNESIUM\\_IN\\_FOOD](#)
- 18.[IRON\\_IN\\_FOOD](#)
- 19.[SODIUM\\_IN\\_FOOD](#)
- 20.[POTASSIUM\\_IN\\_FOOD](#)
- 21.[ZINC\\_IN\\_FOOD](#)
- 22.[COPPER\\_IN\\_FOOD](#)
- 23.[SELENIUM\\_IN\\_FOOD](#)
- 24.[MANGANESE\\_IN\\_FOOD](#)
- 25.[IODINE\\_IN\\_FOOD](#)
- 26.[VITA\\_A\\_IN\\_FOOD](#)
- 27.[ALPHA\\_CAROTENE\\_IN\\_FOOD](#)
- 28.[BETA\\_CAROTENE\\_IN\\_FOOD](#)
- 29.[BETA\\_CRYPTOXANTHIN\\_IN\\_FOOD](#)
- 30.[LYCOPENE\\_IN\\_FOOD](#)
- 31.[LUTEIN\\_IN\\_FOOD](#)
- 32.[THIAMIN\\_IN\\_FOOD](#)
- 33.[RIBOFLAVIN\\_IN\\_FOOD](#)
- 34.[NIACIN\\_IN\\_FOOD](#)
- 35.[PANTOTHENIC\\_ACID\\_IN\\_FOOD](#)
- 36.[VITA\\_B6\\_IN\\_FOOD](#)
- 37.[FOLATE\\_PREFORT\\_IN\\_FOOD](#)
- 38.[FOLATE\\_POSTFORT\\_IN\\_FOOD](#)
- 39.[VITA\\_B\\_12\\_IN\\_FOOD](#)
- 40.[VITA\\_C\\_IN\\_FOOD](#)
- 41.[VITA\\_D\\_IN\\_FOOD](#)
- 42.[ALPHA\\_TOCOPHEROL\\_IN\\_FOOD](#)
- 43.[NITRATE\\_IN\\_FOOD](#)
- 44.[NITRITE\\_IN\\_FOOD](#)
- 45.[NITROSAMINE\\_IN\\_FOOD](#)
- 46.[CAFFEINE\\_IN\\_FOOD](#)
- 47.[ALCOHOL\\_IN\\_FOOD](#)
- 48.[GENISTEIN\\_IN\\_FOOD](#)
- 49.[DAIDZEIN\\_IN\\_FOOD](#)
- 50.[GLYCITEIN\\_IN\\_FOOD](#)



- 51.[T ISOFLA IN FOOD](#)
- 52.[CAL PRCT FR PROTEIN](#)
- 53.[CAL PRCT FR TOTAL FAT](#)
- 54.[CAL PRCT FR SATU FAT](#)
- 55.[CAL PRCT FR CARBOHYD](#)
- 56.[CAL PRCT FR ALCOHOL](#)
- 57.[CALCIUM IN SUPP](#)
- 58.[PHOSPHORUS IN SUPP](#)
- 59.[MAGNESIUM IN SUPP](#)
- 60.[IRON IN SUPP](#)
- 61.[POTASSIUM IN SUPP](#)
- 62.[ZINC IN SUPP](#)
- 63.[COPPER IN SUPP](#)
- 64.[MANGANESE IN SUPP](#)
- 65.[SELENIUM IN SUPP](#)
- 66.[IODINE IN SUPP](#)
- 67.[VITA A IN SUPP](#)
- 68.[BETA CAROTENE IN SUPP](#)
- 69.[THIAMIN IN SUPP](#)
- 70.[RIBOFLAVIN IN SUPP](#)
- 71.[NIACIN IN SUPP](#)
- 72.[PANTOTHENIC ACID IN SUPP](#)
- 73.[VITA B6 IN SUPP](#)
- 74.[FOLIC ACID IN SUPP](#)
- 75.[VITA B12 IN SUPP](#)
- 76.[ASCORBIC ACID IN SUPP](#)
- 77.[VITA D IN SUPP](#)
- 78.[VITA E IN SUPP](#)
- 79.[CALCIUM IN SUPPL\\_GT2YR](#)
- 80.[IRON IN SUPPL\\_GT2YR](#)
- 81.[ZINC IN SUPPL\\_GT2YR](#)
- 82.[SELENIUM IN SUPPL\\_GT2YR](#)
- 83.[VITAMIN A IN SUPPL\\_GT2YR](#)
- 84.[BETA CAROTENE IN SUPPL\\_GT2YR](#)
- 85.[THIAMIN IN SUPPL\\_GT2YR](#)
- 86.[RIBOFLAVIN IN SUPPL\\_GT2YR](#)
- 87.[NIACIN IN SUPPL\\_GT2YR](#)
- 88.[VITAMIN B6 IN SUPPL\\_GT2YR](#)
- 89.[FOLIC ACID IN SUPPL\\_GT2YR](#)
- 90.[VITAMIN B12 IN SUPPL\\_GT2YR](#)
- 91.[VITAMIN C IN SUPPL\\_GT2YR](#)
- 92.[VITAMIN E IN SUPPL\\_GT2YR](#)
- 93.[FOOD\\_GROUP BEEF](#)
- 94.[FOOD\\_GROUP PORK](#)
- 95.[FOOD\\_GROUP REDMEAT\\_NONPROCESSED](#)
- 96.[FOOD\\_GROUP PROCESSED\\_REDMEAT](#)
- 97.[FOOD\\_GROUP POULTRY](#)
- 98.[FOOD\\_GROUP FISH\\_NONSHELLFISH](#)
- 99.[FOOD\\_GROUP SHELLFISH](#)
- 100.[FOOD\\_GROUP LEGUMES](#)
- 101.[FOOD\\_GROUP TOFU](#)
- 102.[FOOD\\_GROUP TOT\\_VEGETABLES](#)
- 103.[FOOD\\_GROUP LT\\_GRN\\_VEG](#)
- 104.[FOOD\\_GROUP DARK\\_GRN\\_VEG](#)
- 105.[FOOD\\_GROUP YELLOW\\_ORANGE\\_VEG](#)
- 106.[FOOD\\_GROUP CRUCIFEROUS\\_VEG](#)
- 107.[FOOD\\_GROUP TOMATO\\_INC\\_JUICE](#)
- 108.[FOOD\\_GROUP CARROTS](#)

109.[FOOD\\_GROUP\\_BROCCOLI](#)  
110.[FOOD\\_GROUP\\_RICE](#)  
111.[FOOD\\_GROUP\\_POTATOES\\_TUBERS](#)  
112.[FOOD\\_GROUP\\_ALL\\_FRUITS\\_INC\\_JUICE](#)  
113.[FOOD\\_GROUP\\_FRUIT\\_JUICE\\_ONLY](#)  
114.[FOOD\\_GROUP\\_CITRUS\\_FRUITS](#)  
115.[FOOD\\_GROUP\\_YELLOW\\_ORANGE\\_FRUITS](#)  
116.[FOOD\\_GROUP\\_ALL\\_DAIRY](#)  
117.[FOOD\\_GROUP\\_BREAKFAST\\_CEREALS](#)  
118.[FOOD\\_GROUP\\_BREAD](#)  
119.[FOOD\\_GROUP\\_PASTA](#)  
120.[FOOD\\_GROUP\\_EGGS](#)  
121.[FOOD\\_GROUP\\_MILK](#)  
122.[FOOD\\_GROUP\\_BEER](#)  
123.[FOOD\\_GROUP\\_WINE](#)  
124.[FOOD\\_GROUP\\_NUTS](#)  
125.[FOOD\\_GROUP\\_ONION](#)  
126.[FOOD\\_GROUP\\_PROCESSED\\_POULTRY](#)  
127.[FOOD\\_GROUP\\_VEG\\_EXC\\_LEGUMES](#)  
128.[FOOD\\_GROUP\\_SOY\\_TOFU](#)  
129.[FOOD\\_GROUP\\_SOY\\_TOFU\\_MISO](#)  
130.[FOOD\\_GROUP\\_SOY\\_TOFU\\_MISO\\_VEGMEAT](#)  
131.[TOTAL\\_GRAIN](#)  
132.[WHOLE\\_GRAIN](#)  
133.[NONWHOLE\\_GRAIN](#)  
134.[TOTAL\\_VEGETABLES](#)  
135.[DARK\\_GRN\\_LEAFY\\_VEG](#)  
136.[DEEP\\_YELLOW\\_VEG](#)  
137.[WHITE\\_POTATOES](#)  
138.[OTH\\_STARCH\\_VEG](#)  
139.[TOMATOES](#)  
140.[OTH\\_VEGETABLES](#)  
141.[TOTAL\\_FRUIT](#)  
142.[CITRUS\\_FRUITS](#)  
143.[OTH\\_FRUITS](#)  
144.[TOTAL\\_DAIRY](#)  
145.[MILK](#)  
146.[YOGURT](#)  
147.[CHEESE](#)  
148.[MEAT\\_POULTRY\\_FISH](#)  
149.[MEAT\\_ONLY](#)  
150.[ORGAN\\_MEATS](#)  
151.[SAUSAGE\\_LUNCHMEAT](#)  
152.[POULTRY\\_ONLY](#)  
153.[FISH\\_ONLY](#)  
154.[EGGS](#)  
155.[SOYBEAN](#)  
156.[NUTS\\_SEEDS](#)  
157.[DRY\\_BEANS\\_PEA](#)  
158.[DISCRETIONARY\\_FAT](#)  
159.[ADDED\\_SUGARS](#)  
160.[ALCOHOL](#)  
161.[DAILY\\_MELOX](#)  
162.[DAILY\\_PHIP](#)  
163.[DAILY\\_DIMELQX](#)  
164.[DAILY\\_HAA](#)

1	<b>CENTER_NO</b>	number (2,0)	Required:false
	Center identification number.		

Allowable Values			
11	Sinai Health Systems (formerly Cancer Care Ontario)		
12	University of Southern California Consortium (USCC)		
14	University of Hawaii Cancer Center		
15	Mayo Clinic		
16	Fred Hutch, Seattle		
17	University of California at San Francisco (UCSF) (formerly CPIC, originally Northern California (NCCC))		

2	<b>PERSON_ID (*PK)</b>	string (12)	Required:false
	Number that uniquely identifies an individual. *PERSON_ID is the primary key for the table.		

3	<b>CALORIES_IN_FOOD</b>	number (13,3)	Required:false
	Calories (cal)		

4	<b>PROTEIN_IN_FOOD</b>	number (13,3)	Required:false
	Protein (g)		

5	<b>TOTAL_FAT_IN_FOOD</b>	number (13,3)	Required:false
	Total Fat (g)		

6	<b>SATUR_FAT_IN_FOOD</b>	number (13,3)	Required:false
	Saturated Fat (g)		

7	<b>MONOUNSAT_FAT_IN_FOOD</b>	number (13,3)	Required:false
	Monounsaturated Fat (g)		

8	<b>POLYUNSAT_FAT_IN_FOOD</b>	number (13,3)	Required:false
	Polyunsaturated Fat (g)		

9	<b>CHOLESTEROL_IN_FOOD</b>	number (13,3)	Required:false
	Cholesterol (mg)		

--	--	--	--

10	<b>CARBOHYDRATE_IN_FOOD</b>	number (13,3)	Required:false
	Carbohydrate (g)		
11	<b>STARCH_IN_FOOD</b>	number (13,3)	Required:false
	Starch (g)		
12	<b>DIET_FIBER_IN_FOOD</b>	number (13,3)	Required:false
	Total Dietary Fiber (g)		
13	<b>INSOL_NONSTARCH_POLYSAC_IN_FOOD</b>	number (13,3)	Required:false
	Insoluble Nonstarch Polysaccharids (g)		
14	<b>SOL_NONSTARCH_POLYSAC_IN_FOOD</b>	number (13,3)	Required:false
	Soluble Nonstarch Polysaccharides (g)		
15	<b>CALCIUM_IN_FOOD</b>	number (13,3)	Required:false
	Calcium (mg)		
16	<b>PHOSPHORUS_IN_FOOD</b>	number (13,3)	Required:false
	Phosphorus (mg)		
17	<b>MAGNESIUM_IN_FOOD</b>	number (13,3)	Required:false
	Magnesium (mg)		
18	<b>IRON_IN_FOOD</b>	number (13,3)	Required:false
	Iron (mg)		
19	<b>SODIUM_IN_FOOD</b>	number (13,3)	Required:false
	Sodium (mg)		
20	<b>POTASSIUM_IN_FOOD</b>	number (13,3)	Required:false
	Potassium (mg)		
21	<b>ZINC_IN_FOOD</b>	number (13,3)	Required:false
	Zinc (mg)		
22	<b>COPPER_IN_FOOD</b>	number (13,3)	Required:false
	Copper (mg)		

23	<b>SELENIUM_IN_FOOD</b>	number (13,3)	Required:false
	Selenium (mcg)		
24	<b>MANGANESE_IN_FOOD</b>	number (13,3)	Required:false
	Manganese (mg)		
25	<b>IODINE_IN_FOOD</b>	number (13,3)	Required:false
	Iodine (mcg)		
26	<b>VITA_A_IN_FOOD</b>	number (13,3)	Required:false
	Vitamin A (mcg RAE)		
27	<b>ALPHA_CAROTENE_IN_FOOD</b>	number (13,3)	Required:false
	Alpha-Carotene (mcg)		
28	<b>BETA_CAROTENE_IN_FOOD</b>	number (13,3)	Required:false
	Beta-Carotene (mcg)		
29	<b>BETA_CRYPTOXANTHIN_IN_FOOD</b>	number (13,3)	Required:false
	Beta-Cryptoxanthin (mcg)		
30	<b>LYCOPENE_IN_FOOD</b>	number (13,3)	Required:false
	Lycopene (mcg)		
31	<b>LUTEIN_IN_FOOD</b>	number (13,3)	Required:false
	Lutein (mcg)		
32	<b>THIAMIN_IN_FOOD</b>	number (13,3)	Required:false
	Thiamin (mg)		
33	<b>RIBOFLAVIN_IN_FOOD</b>	number (13,3)	Required:false
	Riboflavin (mg)		
34	<b>NIACIN_IN_FOOD</b>	number (13,3)	Required:false
	Niacin (mg)		

--	--	--	--

35	<b>PANTOTHENIC_ACID_IN_FOOD</b>	number (13,3)	Required:false
	Pantothenic Acid (mg)		
36	<b>VITA_B6_IN_FOOD</b>	number (13,3)	Required:false
	Vitamin B-6 (mg)		
37	<b>FOLATE_PREFORT_IN_FOOD</b>	number (13,3)	Required:false
	Folate, pre-fortification (mcg)		
38	<b>FOLATE_POSTFORT_IN_FOOD</b>	number (13,3)	Required:false
	Folate, post-fortification (mcg DFE)		
39	<b>VITA_B_12_IN_FOOD</b>	number (13,3)	Required:false
	Vitamin B-12 (mcg)		
40	<b>VITA_C_IN_FOOD</b>	number (13,3)	Required:false
	Vitamin C (mg)		
41	<b>VITA_D_IN_FOOD</b>	number (13,3)	Required:false
	Vitamin D (IU)		
42	<b>ALPHA_TOCOPHEROL_IN_FOOD</b>	number (13,3)	Required:false
	Vitamin E (IU)		
43	<b>NITRATE_IN_FOOD</b>	number (13,3)	Required:false
	Nitrate (mg)		
44	<b>NITRITE_IN_FOOD</b>	number (13,3)	Required:false
	Nitrite (mg)		
45	<b>NITROSAMINE_IN_FOOD</b>	number (13,3)	Required:false
	Nitrosamine (mcg)		
46	<b>CAFFEINE_IN_FOOD</b>	number (13,3)	Required:false
	Caffeine (mg)		
47	<b>ALCOHOL_IN_FOOD</b>	number (13,3)	Required:false
	Alcohol (g)		

48	<b>GENISTEIN_IN_FOOD</b>	number (13,3)	Required:false
	Genistein (mg)		
49	<b>DAIDZEIN_IN_FOOD</b>	number (13,3)	Required:false
	Daidzein (mg)		
50	<b>GLYCITEIN_IN_FOOD</b>	number (13,3)	Required:false
	Glycitein (mg)		
51	<b>T_ISOFLA_IN_FOOD</b>	number (13,3)	Required:false
	Total Isoflavonoids (mg)		
52	<b>CAL_PRCT_FR_PROTEIN</b>	number (13,3)	Required:false
	% of Calories from Protein		
53	<b>CAL_PRCT_FR_TOTAL_FAT</b>	number (13,3)	Required:false
	% of Calories from Total Fat		
54	<b>CAL_PRCT_FR_SATU_FAT</b>	number (13,3)	Required:false
	% of Calories from Saturated Fat		
55	<b>CAL_PRCT_FR_CARBOHYD</b>	number (13,3)	Required:false
	% of Calories from Carbohydrates		
56	<b>CAL_PRCT_FR_ALCOHOL</b>	number (13,3)	Required:false
	% of Calories from Alcohol		
57	<b>CALCIUM_IN_SUPP</b>	number (13,3)	Required:false
	Calcium from Supplements (mg)		
58	<b>PHOSPHORUS_IN_SUPP</b>	number (13,3)	Required:false
	Phosphorus from Supplements (mg)		
59	<b>MAGNESIUM_IN_SUPP</b>	number (13,3)	Required:false
	Magnesium from Supplements (mg)		

--	--	--	--

60	<b>IRON_IN_SUPP</b>	number (13,3)	Required:false
	Iron from Supplements (mg)		
61	<b>POTASSIUM_IN_SUPP</b>	number (13,3)	Required:false
	Potassium from Supplements (mg)		
62	<b>ZINC_IN_SUPP</b>	number (13,3)	Required:false
	Zinc from Supplements (mg)		
63	<b>COPPER_IN_SUPP</b>	number (13,3)	Required:false
	Copper from Supplements (mg)		
64	<b>MANGANESE_IN_SUPP</b>	number (13,3)	Required:false
	Manganese from Supplements (mg)		
65	<b>SELENIUM_IN_SUPP</b>	number (13,3)	Required:false
	Selenium from Supplements (mcg)		
66	<b>IODINE_IN_SUPP</b>	number (13,3)	Required:false
	Iodine from Supplements (mg)		
67	<b>VITA_A_IN_SUPP</b>	number (13,3)	Required:false
	Vitamin A from Supplements (mcg RAE)		
68	<b>BETA_CAROTENE_IN_SUPP</b>	number (13,3)	Required:false
	Beta-Carotene from Supplements (mcg)		
69	<b>THIAMIN_IN_SUPP</b>	number (13,3)	Required:false
	Thiamin from Supplements (mg)		
70	<b>RIBOFLAVIN_IN_SUPP</b>	number (13,3)	Required:false
	Riboflavin from Supplements (mg)		
71	<b>NIACIN_IN_SUPP</b>	number (13,3)	Required:false
	Niacin from Supplements (mg)		
72	<b>PANTOTHENIC_ACID_IN_SUPP</b>	number (13,3)	Required:false
	Pantothenic Acid from Supplements (mg)		



73	<b>VITA_B6_IN_SUPP</b>	number (13,3)	Required:false
	Vitamin B-6 from Supplements (mg)		
74	<b>FOLIC_ACID_IN_SUPP</b>	number (13,3)	Required:false
	Folic Acid from Supplements (mcg DFE)		
75	<b>VITA_B12_IN_SUPP</b>	number (13,3)	Required:false
	Vitamin B-12 from Supplements (mcg)		
76	<b>ASCORBIC_ACID_IN_SUPP</b>	number (13,3)	Required:false
	Ascorbic Acid from Supplements (mg)		
77	<b>VITA_D_IN_SUPP</b>	number (13,3)	Required:false
	Vitamin D from Supplements (IU)		
78	<b>VITA_E_IN_SUPP</b>	number (13,3)	Required:false
	Vitamin E from Supplements (mg alpha tocopherol)		
79	<b>CALCIUM_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Calcium from Supplements (mg)		
80	<b>IRON_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Iron from Supplements (mg)		
81	<b>ZINC_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Zinc from Supplements (mg)		
82	<b>SELENIUM_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Selenium from Supplements (mcg)		
83	<b>VITAMIN_A_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Vitamin A from Supplements (IU)		
84	<b>BETA_CAROTENE_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Beta-Carotene from Supplements (mcg)		

--	--	--	--

85	<b>THIAMIN_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Thiamin from Supplements (mg)		
86	<b>RIBOFLAVIN_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Riboflavin from Supplements (mg)		
87	<b>NIACIN_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Niacin from Supplements (mg)		
88	<b>VITAMIN_B6_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Vitamin B-6 (Pyridoxine) from Supplements (mg)		
89	<b>FOLIC_ACID_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Folic Acid from Supplements (mcg DFE)		
90	<b>VITAMIN_B12_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Vitamin B-12 from Supplements (mcg)		
91	<b>VITAMIN_C_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Vitamin C from Supplements (mg)		
92	<b>VITAMIN_E_IN_SUPPL_GT2YR</b>	number (13,3)	Required:false
	Vitamin E from Supplements (mg alpha tocopherol)		
93	<b>FOOD_GROUP_BEEF</b>	number (13,3)	Required:false
	Average daily intake of beef about two years before the time of interview, measured in grams per day		
94	<b>FOOD_GROUP_PORK</b>	number (13,3)	Required:false
	Average daily intake of pork about two years before the time of interview, measured in grams per day		
95	<b>FOOD_GROUP_REDMEAT_NONPROCESSED</b>	number (13,3)	Required:false
	Average daily intake of red meat (excluding processed meat) about two years before the time of interview, measured in grams per day		
96	<b>FOOD_GROUP_PROCESSED_REDMEAT</b>	number (13,3)	Required:false
	Average daily intake of processed red meat about two years before the time of interview, measured in grams per day		

97	<b>FOOD_GROUP_POULTRY</b>	number (13,3)	Required:false
	Average daily intake of fresh poultry about two years before the time of interview, measured in grams per day		
98	<b>FOOD_GROUP_FISH_NONSHELLFISH</b>	number (13,3)	Required:false
	Average daily intake of fish (excluding shellfish) about two years before the time of interview, measured in grams per day		
99	<b>FOOD_GROUP_SHELLFISH</b>	number (13,3)	Required:false
	Average daily intake of shellfish about two years before the time of interview, measured in grams per day		
100	<b>FOOD_GROUP_LEGUMES</b>	number (13,3)	Required:false
	Average daily intake of all legumes about two years before the time of interview, measured in grams per day		
101	<b>FOOD_GROUP_TOFU</b>	number (13,3)	Required:false
	Average daily intake of tofu about two years before the time of interview, measured in grams per day		
102	<b>FOOD_GROUP_TOT_VEGETABLES</b>	number (13,3)	Required:false
	Average daily intake of vegetables (total) about two years before the time of interview, measured in grams per day		
103	<b>FOOD_GROUP_LT_GRN_VEG</b>	number (13,3)	Required:false
	Average daily intake of light green vegetables about two years before the time of interview, measured in grams per day		
104	<b>FOOD_GROUP_DARK_GRN_VEG</b>	number (13,3)	Required:false
	Average daily intake of dark green vegetables about two years before the time of interview, measured in grams per day		
105	<b>FOOD_GROUP_YELLOW_ORANGE_VEG</b>	number (13,3)	Required:false
	Average daily intake of yellow-orange vegetables about two years before the time of interview, measured in grams per day		
106	<b>FOOD_GROUP_CRUCIFEROUS_VEG</b>	number (13,3)	Required:false
	Average daily intake of cruciferous vegetables about two years before the time of interview, measured in grams per day		
107	<b>FOOD_GROUP_TOMATO_INC_JUICE</b>	number (13,3)	Required:false

Average daily intake of tomato products (including juice) about two years before the time of interview, measured in grams per day

**FOOD\_GROUP\_CARROTS**

number (13,3)

Required:false

108 Average daily intake of carrots about two years before the time of interview, measured in grams per day

**FOOD\_GROUP\_BROCCOLI**

number (13,3)

Required:false

109 Average daily intake of broccoli about two years before the time of interview, measured in grams per day

**FOOD\_GROUP\_RICE**

number (13,3)

Required:false

110 Average daily intake of rice about two years before the time of interview, measured in grams per day

**FOOD\_GROUP\_POTATOES\_TUBERS**

number (13,3)

Required:false

111 Average daily intake of potatoes and tubers about two years before the time of interview, measured in grams per day

**FOOD\_GROUP\_ALL\_FRUITS\_INC\_JUICE**

number (13,3)

Required:false

112 Average daily intake of all fruits (including juice) about two years before the time of interview, measured in grams per day

**FOOD\_GROUP\_FRUIT\_JUICE\_ONLY**

number (13,3)

Required:false

113 Average daily intake of fruit juice alone about two years before the time of interview, measured in grams per day

**FOOD\_GROUP\_CITRUS\_FRUITS**

number (13,3)

Required:false

114 Average daily intake of citrus fruits about two years before the time of interview, measured in grams per day

**FOOD\_GROUP\_YELLOW\_ORANGE\_FRUITS**

number (13,3)

Required:false

115 Average daily intake of yellow-orange fruits about two years before the time of interview, measured in grams per day

**FOOD\_GROUP\_ALL\_DAIRY**

number (13,3)

Required:false

116 Average daily intake of all dairy products about two years before the time of interview, measured in grams per day

**FOOD\_GROUP\_BREAKFAST\_CEREALS**

number (13,3)

Required:false

117 Average daily intake of breakfast cereal about two years before the time of interview, measured in grams per day

118	<b>FOOD_GROUP_BREAD</b>	number (13,3)	Required:false
	Average daily intake of bread about two years before the time of interview, measured in grams per day		
119	<b>FOOD_GROUP_PASTA</b>	number (13,3)	Required:false
	Average daily intake of pasta about two years before the time of interview, measured in grams per day		
120	<b>FOOD_GROUP_EGGS</b>	number (13,3)	Required:false
	Average daily intake of eggs about two years before the time of interview, measured in grams per day		
121	<b>FOOD_GROUP_MILK</b>	number (13,3)	Required:false
	Average daily intake of milk about two years before the time of interview, measured in grams per day		
122	<b>FOOD_GROUP_BEER</b>	number (13,3)	Required:false
	Average daily intake of beer about two years before the time of interview, measured in grams per day		
123	<b>FOOD_GROUP_WINE</b>	number (13,3)	Required:false
	Average daily intake of wine about two years before the time of interview, measured in grams per day		
124	<b>FOOD_GROUP_NUTS</b>	number (13,3)	Required:false
	Average daily intake of nuts (excluding coconuts) about two years before the time of interview, measured in grams per day		
125	<b>FOOD_GROUP_ONION</b>	number (13,3)	Required:false
	Average daily intake of onion about two years before the time of interview, measured in grams per day		
126	<b>FOOD_GROUP_PROCESSED_POULTRY</b>	number (13,3)	Required:false
	Average daily intake of processed poultry about two years before the time of interview, measured in grams per day		
127	<b>FOOD_GROUP_VEG_EXC_LEGUMES</b>	number (13,3)	Required:false
	Average daily intake of vegetables (excluding legumes) about two years before the time of interview, measured in grams per day		
128	<b>FOOD_GROUP_SOY_TOFU</b>	number (13,3)	Required:false

	Average daily intake of soy from tofu about two years before the time of interview, measured in grams per day		
129	<b>FOOD_GROUP_SOY_TOFU_MISO</b> Average daily intake of soy from tofu or miso about two years before the time of interview, measured in grams per day	number (13,3)	Required:false
130	<b>FOOD_GROUP_SOY_TOFU_MISO_VEGMEAT</b> Average daily intake of soy from tofu, miso, or vegetarian meat products about two years before the time of interview, measured in grams per day	number (13,3)	Required:false
131	<b>TOTAL_GRAIN</b> Average daily intake of total grain about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
132	<b>WHOLE_GRAIN</b> Average daily intake of whole grain about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
133	<b>NONWHOLE_GRAIN</b> Average daily intake of non-whole grain about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
134	<b>TOTAL_VEGETABLES</b> Average daily intake of total vegetables about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
135	<b>DARK_GRN_LEAFY_VEG</b> Average daily intake of dark green leafy vegetables about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
136	<b>DEEP_YELLOW_VEG</b> Average daily intake of deep yellow vegetables about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
137	<b>WHITE_POTATOES</b> Average daily intake of white potatoes about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
138	<b>OTH_STARCH_VEG</b> Average daily intake of other starch vegetables about two years before the time of interview,	number (11,3)	Required:false

	measured in food pyramid servings per day		
139	<b>TOMATOES</b> Average daily intake of tomatoes about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
140	<b>OTH_VEGETABLES</b> Average daily intake of other vegetables about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
141	<b>TOTAL_FRUIT</b> Average daily intake of total fruit about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
142	<b>CITRUS_FRUITS</b> Average daily intake of citrus fruits about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
143	<b>OTH_FRUITS</b> Average daily intake of other fruits about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
144	<b>TOTAL_DAIRY</b> Average daily intake of total dairy about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
145	<b>MILK</b> Average daily intake of milk about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
146	<b>YOGURT</b> Average daily intake of yogurt about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
147	<b>CHEESE</b> Average daily intake of cheese about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false
148	<b>MEAT_POULTRY_FISH</b> Average daily intake of meat, poultry and fish about two years before the time of interview, measured in food pyramid servings per day	number (11,3)	Required:false

149	<b>MEAT_ONLY</b>	number (11,3)	Required:false
	Average daily intake of meat (beef, pork, veal, lamb, or game) about two years before the time of interview, measured in food pyramid servings per day		
150	<b>ORGAN_MEATS</b>	number (11,3)	Required:false
	Average daily intake of organs from meat about two years before the time of interview, measured in food pyramid servings per day		
151	<b>SAUSAGE_LUNCHMEAT</b>	number (11,3)	Required:false
	Average daily intake of frankfurters, sausage, or luncheon meat about two years before the time of interview, measured in food pyramid servings per day		
152	<b>POULTRY_ONLY</b>	number (11,3)	Required:false
	Average daily intake of poultry (turkey, chicken, other poultry) about two years before the time of interview, measured in food pyramid servings per day		
153	<b>FISH_ONLY</b>	number (11,3)	Required:false
	Average daily intake of fish (fish, shellfish, or other) about two years before the time of interview, measured in food pyramid servings per day		
154	<b>EGGS</b>	number (11,3)	Required:false
	Average daily intake of eggs about two years before the time of interview, measured in food pyramid servings per day		
155	<b>SOYBEAN</b>	number (11,3)	Required:false
	Average daily intake of soybean products (tofu, miso, vegetarian meat, etc) about two years before the time of interview, measured in food pyramid servings per day		
156	<b>NUTS_SEEDS</b>	number (11,3)	Required:false
	Average daily intake of nuts and seeds about two years before the time of interview, measured in food pyramid servings per day		
157	<b>DRY_BEANS_PEAS</b>	number (11,3)	Required:false
	Average daily intake of cooked dry beans and peas about two years before the time of interview, measured in food pyramid servings per day		
158	<b>DISCRETIONARY_FAT</b>	number (11,3)	Required:false
	Average daily intake of discretionary fat about two years before the time of interview, measured in grams per day		



159	<b>ADDED_SUGARS</b>	number (11,3)	Required:false
	Average daily intake of added sugars about two years before the time of interview, measured in teaspoons per day		
160	<b>ALCOHOL</b>	number (11,3)	Required:false
	Average daily intake of alcohol about two years before the time of interview, measured in drinks per day		
161	<b>DAILY_MELQX</b>	number (15,3)	Required:false
	2-amino-3, 8-dimethylimidazo[4,5-f]quinoxaline		
162	<b>DAILY_PHIP</b>	number (15,3)	Required:false
	2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine		
163	<b>DAILY_DIMELQX</b>	number (15,3)	Required:false
	2-amino-3,4,8-trimethylimidazo[4,5-f]quinoxaline		
164	<b>DAILY_HAA</b>	number (15,3)	Required:false
	Heterocyclic Amine		